

Turbo Platform Switch

Time is money



API

© 2016-2018 **crosstales** LLC
<https://www.crosstales.com>

Date: 26.03.2018
Version: 1.8.2

Contents

1	Namespace Index	1
1.1	Packages	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	Namespace Documentation	7
4.1	Crosstales Namespace Reference	7
4.2	Crosstales.Common Namespace Reference	7
4.3	Crosstales.Common.EditorTask Namespace Reference	7
4.4	Crosstales.Common.EditorUtil Namespace Reference	7
4.5	Crosstales.Common.Model Namespace Reference	8
4.6	Crosstales.Common.Model.Enum Namespace Reference	8
4.6.1	Enumeration Type Documentation	8
4.6.1.1	Platform	8
4.7	Crosstales.Common.Util Namespace Reference	8
4.8	Crosstales.TPS Namespace Reference	8
4.9	Crosstales.TPS.EditorIntegration Namespace Reference	8
4.10	Crosstales.TPS.EditorTask Namespace Reference	9
4.11	Crosstales.TPS.Task Namespace Reference	9
4.11.1	Enumeration Type Documentation	9
4.11.1.1	UpdateStatus	9
4.12	Crosstales.TPS.Util Namespace Reference	9

5	Class Documentation	11
5.1	Crosstales.Common.EditorTask.BaseCompileDefines Class Reference	11
5.1.1	Detailed Description	11
5.2	Crosstales.Common.Util.BaseConstants Class Reference	11
5.2.1	Detailed Description	13
5.2.2	Member Data Documentation	13
5.2.2.1	ASSET_3P_PLAYMAKER	13
5.2.2.2	ASSET_AUTHOR	13
5.2.2.3	ASSET_AUTHOR_URL	13
5.2.2.4	ASSET_CT_URL	13
5.2.2.5	ASSET_SOCIAL_FACEBOOK	13
5.2.2.6	ASSET_SOCIAL_LINKEDIN	13
5.2.2.7	ASSET_SOCIAL_TWITTER	13
5.2.2.8	ASSET_SOCIAL_XING	14
5.2.2.9	ASSET_SOCIAL_YOUTUBE	14
5.2.2.10	DEV_DEBUG	14
5.2.2.11	FACTOR_GB	14
5.2.2.12	FACTOR_KB	14
5.2.2.13	FACTOR_MB	14
5.2.2.14	FLOAT_32768	14
5.2.2.15	FORMAT_NO_DECIMAL_PLACES	14
5.2.2.16	FORMAT_PERCENT	14
5.2.2.17	FORMAT_TWO_DECIMAL_PLACES	14
5.2.2.18	PATH_DELIMITER_UNIX	15
5.2.2.19	PATH_DELIMITER_WINDOWS	15
5.3	Crosstales.Common.EditorUtil.BaseGAApi Class Reference	15
5.3.1	Detailed Description	15
5.3.2	Member Function Documentation	15
5.3.2.1	Event(string name, string version, string category, string action, string label="","", int value=0)	15
5.4	Crosstales.Common.Util.BaseHelper Class Reference	16

5.4.1	Detailed Description	17
5.4.2	Member Function Documentation	18
5.4.2.1	ClearLineEndings(string text)	18
5.4.2.2	ClearSpaces(string text)	19
5.4.2.3	ClearTags(string text)	19
5.4.2.4	FormatBytesToHRF(long bytes)	19
5.4.2.5	FormatSecondsToHourMinSec(double seconds)	19
5.4.2.6	HSVToRGB(float h, float s, float v, float a=1f)	20
5.4.2.7	IsValidURL(string url)	20
5.4.2.8	RemoteCertificateValidationCallback(System.Object sender, System.Security.Cryptography.X509Certificates.X509Certificate certificate, System.Security.Cryptography.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors)	20
5.4.2.9	SplitStringToLines(string text, bool ignoreCommentedLines=true, int skipHeaderLines=0, int skipFooterLines=0)	20
5.4.2.10	ValidateFile(string path)	21
5.4.2.11	ValidatePath(string path, bool addEndDelimiter=true)	21
5.4.2.12	ValidURLFromFilePath(string path)	21
5.4.3	Property Documentation	21
5.4.3.1	CurrentPlatform	21
5.4.3.2	isAndroidPlatform	22
5.4.3.3	isAppleBasedPlatform	22
5.4.3.4	isEditor	22
5.4.3.5	isEditorMode	22
5.4.3.6	isInternetAvailable	22
5.4.3.7	isIOSPlatform	23
5.4.3.8	isLinuxPlatform	23
5.4.3.9	isMacOSPlatform	23
5.4.3.10	isStandalonePlatform	23
5.4.3.11	isWebGLPlatform	23
5.4.3.12	isWebPlatform	23
5.4.3.13	isWebPlayerPlatform	24

5.4.3.14	isWindowsBasedPlatform	24
5.4.3.15	isWindowsPlatform	24
5.4.3.16	isWSAPlatform	24
5.5	Crosstales.Common.EditorTask.BaseSetupResources Class Reference	24
5.5.1	Detailed Description	25
5.6	Crosstales.TPS.EditorTask.CompileDefines Class Reference	25
5.6.1	Detailed Description	25
5.7	Crosstales.TPS.Util.Config Class Reference	25
5.7.1	Detailed Description	28
5.7.2	Member Function Documentation	28
5.7.2.1	Load()	28
5.7.2.2	Reset()	28
5.7.2.3	Save()	28
5.7.3	Member Data Documentation	28
5.7.3.1	ARCH_LINUX	28
5.7.3.2	ARCH_MAC	28
5.7.3.3	ARCH_WINDOWS	28
5.7.3.4	BATCHMODE	28
5.7.3.5	CONFIRM_SWITCH	29
5.7.3.6	COPY_ASSETS	29
5.7.3.7	COPY_SETTINGS	29
5.7.3.8	CUSTOM_PATH_CACHE	29
5.7.3.9	DEBUG	29
5.7.3.10	EXECUTE_METHOD	29
5.7.3.11	isLoadingd	29
5.7.3.12	NO_GRAPHICS	29
5.7.3.13	PLATFORM_3DS	29
5.7.3.14	PLATFORM_ANDROID	29
5.7.3.15	PLATFORM_IOS	30
5.7.3.16	PLATFORM_LINUX	30

5.7.3.17	PLATFORM_MAC	30
5.7.3.18	PLATFORM_PS3	30
5.7.3.19	PLATFORM_PS4	30
5.7.3.20	PLATFORM_PSP2	30
5.7.3.21	PLATFORM_SAMSUNGTV	30
5.7.3.22	PLATFORM_SWITCH	30
5.7.3.23	PLATFORM_TIZEN	30
5.7.3.24	PLATFORM_TVOS	30
5.7.3.25	PLATFORM_WEBGL	31
5.7.3.26	PLATFORM_WEBPLAYER	31
5.7.3.27	PLATFORM_WIIU	31
5.7.3.28	PLATFORM_WINDOWS	31
5.7.3.29	PLATFORM_WSA	31
5.7.3.30	PLATFORM_XBOX360	31
5.7.3.31	PLATFORM_XBOXONE	31
5.7.3.32	QUIT	31
5.7.3.33	REMINDER_CHECK	31
5.7.3.34	SHOW_COLUMN_ARCHITECTURE	31
5.7.3.35	SHOW_COLUMN_CACHE	32
5.7.3.36	SHOW_COLUMN_PLATFORM	32
5.7.3.37	SHOW_COLUMN_PLATFORM_LOGO	32
5.7.3.38	SHOW_COLUMN_TEXTURE	32
5.7.3.39	SHOW_DELETE	32
5.7.3.40	TELEMETRY	32
5.7.3.41	TEX_ANDROID	32
5.7.3.42	UPDATE_CHECK	32
5.7.3.43	VCS	32
5.7.4	Property Documentation	33
5.7.4.1	ASSET_PATH	33
5.8	Crosstales.TPS.EditorIntegration.ConfigBase Class Reference	33

5.8.1	Detailed Description	33
5.9	Crosstales.TPS.EditorIntegration.ConfigPreferences Class Reference	34
5.9.1	Detailed Description	34
5.10	Crosstales.TPS.EditorIntegration.ConfigWindow Class Reference	34
5.10.1	Detailed Description	35
5.11	Crosstales.TPS.Util.Constants Class Reference	35
5.11.1	Detailed Description	38
5.11.2	Member Data Documentation	38
5.11.2.1	ASSET_API_URL	38
5.11.2.2	ASSET_BUILD	38
5.11.2.3	ASSET_CHANGED	38
5.11.2.4	ASSET_CONTACT	38
5.11.2.5	ASSET_CREATED	38
5.11.2.6	ASSET_FORUM_URL	39
5.11.2.7	ASSET_MANUAL_URL	39
5.11.2.8	ASSET_NAME	39
5.11.2.9	ASSET_PRO_URL	39
5.11.2.10	ASSET_UPDATE_CHECK_URL	39
5.11.2.11	ASSET_VERSION	39
5.11.2.12	ASSET_VIDEO_PROMO	39
5.11.2.13	ASSET_VIDEO_TUTORIAL	39
5.11.2.14	ASSET_WEB_URL	39
5.11.2.15	isPro	40
5.11.2.16	KILL_TIME	40
5.11.2.17	PATH	40
5.11.3	Property Documentation	40
5.11.3.1	ASSET_UID	40
5.11.3.2	ASSET_URL	40
5.12	Crosstales.Common.Util.CTPlayerPrefs Class Reference	40
5.12.1	Detailed Description	41

5.12.2	Member Function Documentation	41
5.12.2.1	DeleteAll()	41
5.12.2.2	DeleteKey(string key)	41
5.12.2.3	GetBool(string key)	42
5.12.2.4	GetFloat(string key)	42
5.12.2.5	GetInt(string key)	42
5.12.2.6	GetString(string key)	42
5.12.2.7	HasKey(string key)	43
5.12.2.8	Save()	43
5.12.2.9	SetBool(string key, bool value)	43
5.12.2.10	SetFloat(string key, float value)	43
5.12.2.11	SetInt(string key, int value)	43
5.12.2.12	SetString(string key, string value)	44
5.13	Crosstales.Common.Util.CTWebClient Class Reference	44
5.13.1	Detailed Description	45
5.13.2	Property Documentation	45
5.13.2.1	ConnectionLimit	45
5.13.2.2	Timeout	45
5.14	Crosstales.TPS.Task.DisableUnityCacheServer Class Reference	45
5.14.1	Detailed Description	45
5.15	Crosstales.ExtensionMethods Class Reference	45
5.15.1	Detailed Description	46
5.15.2	Member Function Documentation	46
5.15.2.1	CTAddRange< T, S >(this System.Collections.Generic.Dictionary< T, S > source, System.Collections.Generic.Dictionary< T, S > collection)	46
5.15.2.2	CTContains(this string str, string toCheck, System.StringComparison comp← System.StringComparison.OrdinalIgnoreCase)	47
5.15.2.3	CTContainsAll(this string str, string searchTerms, char splitChar= ' ')	47
5.15.2.4	CTContainsAny(this string str, string searchTerms, char splitChar= ' ')	47
5.15.2.5	CTDump< T >(this T[] array)	48
5.15.2.6	CTDump< T >(this System.Collections.Generic.List< T > list)	48

5.15.2.7	CTEquals(this string str, string toCheck, System.StringComparison comp=↔ System.StringComparison.OrdinalIgnoreCase)	48
5.15.2.8	CTReplace(this string str, string oldString, string newString, System.String↔ Comparison comp=System.StringComparison.OrdinalIgnoreCase)	48
5.15.2.9	CTShuffle< T >(this T[] array)	49
5.15.2.10	CTShuffle< T >(this System.Collections.Generic.IList< T > list)	49
5.15.2.11	CTToString< T >(this T[] array)	49
5.15.2.12	CTToString< T >(this System.Collections.Generic.List< T > list)	49
5.15.2.13	CTToTitleCase(this string str)	50
5.16	Crosstales.TPS.Util.GAApi Class Reference	50
5.16.1	Detailed Description	50
5.16.2	Member Function Documentation	51
5.16.2.1	Event(string category, string action, string label="","", int value=0)	51
5.17	Crosstales.TPS.Util.Helper Class Reference	52
5.17.1	Detailed Description	53
5.17.2	Member Function Documentation	54
5.17.2.1	DeleteAllScripts()	54
5.17.2.2	DeleteCache()	54
5.17.2.3	DeleteCacheFromTarget(BuildTarget target, AndroidBuildSubtarget subTarget)	54
5.17.2.4	isCached(BuildTarget target, AndroidBuildSubtarget subTarget)	54
5.17.2.5	ScanCache(BuildTarget target, AndroidBuildSubtarget subTarget)	54
5.17.2.6	ScanTotalCache()	55
5.17.2.7	SeparatorUI(int space=12)	55
5.17.2.8	SwitchPlatform(BuildTarget target, string build, AndroidBuildSubtarget subTarget)	55
5.17.3	Property Documentation	55
5.17.3.1	hasActiveArchitecturePlatforms	55
5.17.3.2	hasActiveTexturePlatforms	56
5.18	Crosstales.TPS.Task.Launch Class Reference	56
5.18.1	Detailed Description	56
5.19	Crosstales.Common.EditorTask.NYCheck Class Reference	56
5.19.1	Detailed Description	56
5.20	Crosstales.TPS.Task.ReminderCheck Class Reference	56
5.20.1	Detailed Description	57
5.21	Crosstales.TPS.Task.SetupResources Class Reference	57
5.21.1	Detailed Description	57
5.22	Crosstales.TPS.Task.Telemetry Class Reference	57
5.22.1	Detailed Description	57
5.23	Crosstales.TPS.Task.UpdateCheck Class Reference	58
5.23.1	Detailed Description	58

6	More information	59
6.1	Homepage	59
6.2	AssetStore	59
6.3	Forum	59
6.4	Documentation	59
6.5	Videos	59
6.5.1	Promotion	59
6.5.2	Tutorial	59
	Index	61

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

Crosstales	7
Crosstales.Common	7
Crosstales.Common.EditorTask	7
Crosstales.Common.EditorUtil	7
Crosstales.Common.Model	8
Crosstales.Common.Model.Enum	8
Crosstales.Common.Util	8
Crosstales.TPS	8
Crosstales.TPS.EditorIntegration	8
Crosstales.TPS.EditorTask	9
Crosstales.TPS.Task	9
Crosstales.TPS.Util	9

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Crosstales.Common.EditorTask.BaseCompileDefines	11
Crosstales.TPS.EditorTask.CompileDefines	25
Crosstales.Common.Util.BaseConstants	11
Crosstales.TPS.Util.Constants	35
Crosstales.Common.EditorUtil.BaseGAApi	15
Crosstales.TPS.Util.GAApi	50
Crosstales.Common.Util.BaseHelper	16
Crosstales.TPS.Util.Helper	52
Crosstales.Common.EditorTask.BaseSetupResources	24
Crosstales.TPS.Task.SetupResources	57
Crosstales.TPS.Util.Config	25
Crosstales.Common.Util.CTPlayerPrefs	40
Crosstales.TPS.Task.DisableUnityCacheServer	45
EditorWindow	
Crosstales.TPS.EditorIntegration.ConfigBase	33
Crosstales.TPS.EditorIntegration.ConfigPreferences	34
Crosstales.TPS.EditorIntegration.ConfigWindow	34
Crosstales.ExtensionMethods	45
Crosstales.TPS.Task.Launch	56
Crosstales.Common.EditorTask.NYCheck	56
Crosstales.TPS.Task.ReminderCheck	56
Crosstales.TPS.Task.Telemetry	57
Crosstales.TPS.Task.UpdateCheck	58
WebClient	
Crosstales.Common.Util.CTWebClient	44

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Crosstales.Common.EditorTask.BaseCompileDefines	11
Base for adding the given define symbols to PlayerSettings define symbols.	
Crosstales.Common.Util.BaseConstants	11
Base for collected constants of very general utility for the asset.	
Crosstales.Common.EditorUtil.BaseGAApi	15
Base GA-wrapper API.	
Crosstales.Common.Util.BaseHelper	16
Base for various helper functions.	
Crosstales.Common.EditorTask.BaseSetupResources	24
Base for copying all resources to 'Editor Default Resources'.	
Crosstales.TPS.EditorTask.CompileDefines	25
Adds the given define symbols to PlayerSettings define symbols.	
Crosstales.TPS.Util.Config	25
Configuration for the asset.	
Crosstales.TPS.EditorIntegration.ConfigBase	33
Base class for editor windows.	
Crosstales.TPS.EditorIntegration.ConfigPreferences	34
Unity "Preferences" extension.	
Crosstales.TPS.EditorIntegration.ConfigWindow	34
Editor window extension.	
Crosstales.TPS.Util.Constants	35
Collected constants of very general utility for the asset.	
Crosstales.Common.Util.CTPlayerPrefs	40
Wrapper for the PlayerPrefs.	
Crosstales.Common.Util.CTWebClient	44
Specialized WebClient.	
Crosstales.TPS.Task.DisableUnityCacheServer	45
Disables the Unity cache server.	
Crosstales.ExtensionMethods	45
Various extension methods.	
Crosstales.TPS.Util.GAApi	50
GA-wrapper API.	
Crosstales.TPS.Util.Helper	52
Various helper functions.	
Crosstales.TPS.Task.Launch	56
Show the configuration window on the first launch.	

Crosstales.Common.EditorTask.NYCheck	
Checks if a 'Happy new year'-message must be displayed.	56
Crosstales.TPS.Task.ReminderCheck	
Reminds the customer to create an UAS review.	56
Crosstales.TPS.Task.SetupResources	
Copies all resources to 'Editor Default Resources'.	57
Crosstales.TPS.Task.Telemetry	
Gather some telemetry data for the asset.	57
Crosstales.TPS.Task.UpdateCheck	
Checks for updates of the asset.	58

Chapter 4

Namespace Documentation

4.1 Crosstales Namespace Reference

Namespaces

Classes

- class [ExtensionMethods](#)
Various extension methods.

4.2 Crosstales.Common Namespace Reference

Namespaces

4.3 Crosstales.Common.EditorTask Namespace Reference

Classes

- class [BaseCompileDefines](#)
Base for adding the given define symbols to PlayerSettings define symbols.
- class [BaseSetupResources](#)
Base for copying all resources to 'Editor Default Resources'.
- class [NYCheck](#)
Checks if a 'Happy new year'-message must be displayed.

4.4 Crosstales.Common.EditorUtil Namespace Reference

Classes

- class [BaseGAApi](#)
Base GA-wrapper API.

4.5 Crosstales.Common.Model Namespace Reference

Namespaces

4.6 Crosstales.Common.Model.Enum Namespace Reference

Enumerations

- enum [Platform](#) {
Windows, OSX, Linux, IOS,
Android, WSA, Web, Unsupported,
MaryTTS }

All available platforms.

4.6.1 Enumeration Type Documentation

4.6.1.1 enum [Crosstales.Common.Model.Enum.Platform](#) [[strong](#)]

All available platforms.

4.7 Crosstales.Common.Util Namespace Reference

Classes

- class [BaseConstants](#)
Base for collected constants of very general utility for the asset.
- class [BaseHelper](#)
Base for various helper functions.
- class [CTPlayerPrefs](#)
Wrapper for the PlayerPrefs.
- class [CTWebClient](#)
Specialized WebClient.

4.8 Crosstales.TPS Namespace Reference

Namespaces

4.9 Crosstales.TPS.EditorIntegration Namespace Reference

Classes

- class [ConfigBase](#)
Base class for editor windows.
- class [ConfigPreferences](#)
Unity "Preferences" extension.
- class [ConfigWindow](#)
Editor window extension.

4.10 Crosstales.TPS.EditorTask Namespace Reference

Classes

- class [CompileDefines](#)
Adds the given define symbols to PlayerSettings define symbols.

4.11 Crosstales.TPS.Task Namespace Reference

Classes

- class [DisableUnityCacheServer](#)
Disables the Unity cache server.
- class [Launch](#)
Show the configuration window on the first launch.
- class [ReminderCheck](#)
Reminds the customer to create an UAS review.
- class [SetupResources](#)
Copies all resources to 'Editor Default Resources'.
- class [Telemetry](#)
Gather some telemetry data for the asset.
- class [UpdateCheck](#)
Checks for updates of the asset.

Enumerations

- enum [UpdateStatus](#) {
NOT_CHECKED, NO_UPDATE, UPDATE, UPDATE_PRO,
UPDATE_VERSION, DEPRECATED }
All possible update stati.

4.11.1 Enumeration Type Documentation

4.11.1.1 enum [Crosstales.TPS.Task.UpdateStatus](#) [strong]

All possible update stati.

4.12 Crosstales.TPS.Util Namespace Reference

Classes

- class [Config](#)
Configuration for the asset.
- class [Constants](#)
Collected constants of very general utility for the asset.
- class [GAApi](#)
GA-wrapper API.
- class [Helper](#)
Various helper functions.


Chapter 5

Class Documentation

5.1 Crosstales.Common.EditorTask.BaseCompileDefines Class Reference

Base for adding the given define symbols to PlayerSettings define symbols.

Inheritance diagram for Crosstales.Common.EditorTask.BaseCompileDefines:



Static Protected Member Functions

- static void **setCompileDefines** (string[] symbols)

5.1.1 Detailed Description

Base for adding the given define symbols to PlayerSettings define symbols.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Editor/Task/BaseCompileDefines.cs

5.2 Crosstales.Common.Util.BaseConstants Class Reference

Base for collected constants of very general utility for the asset.

Inheritance diagram for Crosstales.Common.Util.BaseConstants:



Public Attributes

- const string **ASSET_AUTHOR** = "crosstales LLC"
Author of the asset.
- const string **ASSET_AUTHOR_URL** = "https://www.crosstales.com"
URL of the asset author.
- const string **ASSET_CT_URL** = "https://goo.gl/qwtXyb"
URL of the crosstales assets in UAS.
- const string **ASSET_SOCIAL_FACEBOOK** = "https://www.facebook.com/crosstales/"
URL of the crosstales Facebook-profile.
- const string **ASSET_SOCIAL_TWITTER** = "https://twitter.com/crosstales"
URL of the crosstales Twitter-profile.
- const string **ASSET_SOCIAL_YOUTUBE** = "https://www.youtube.com/c/Crosstales"
URL of the crosstales Youtube-profile.
- const string **ASSET_SOCIAL_LINKEDIN** = "https://www.linkedin.com/company/crosstales"
URL of the crosstales LinkedIn-profile.
- const string **ASSET_SOCIAL_XING** = "https://www.xing.com/companies/crosstales"
URL of the crosstales XING-profile.
- const string **ASSET_3P_PLAYMAKER** = "https://www.assetstore.unity3d.com/#!/content/368?aid=1011IN←
GT"
URL of the 3rd party asset "PlayMaker".
- const int **FACTOR_KB** = 1024
Factor for kilo bytes.
- const int **FACTOR_MB** = **FACTOR_KB** * 1024
Factor for mega bytes.
- const int **FACTOR_GB** = **FACTOR_MB** * 1024
Factor for giga bytes.
- const float **FLOAT_32768** = 32768f
Float value of 32768.
- const string **FORMAT_TWO_DECIMAL_PLACES** = "0.00"
ToString for two decimal places.
- const string **FORMAT_NO_DECIMAL_PLACES** = "0"
ToString for no decimal places.
- const string **FORMAT_PERCENT** = "0%"
ToString for percent.
- const bool **DEFAULT_DEBUG** = false
- const string **PATH_DELIMITER_WINDOWS** = @"\ "
Path delimiter for Windows.
- const string **PATH_DELIMITER_UNIX** = "/"
Path delimiter for Unix.

Static Public Attributes

- static bool **DEV_DEBUG** = false
Development debug logging for the asset.
- static string **TEXT_TOSTRING_END** = "}"
- static string **TEXT_TOSTRING_DELIMITER** = ", "
- static string **TEXT_TOSTRING_DELIMITER_END** = ""
- static string **TEXT_TOSTRING_START** = "{"
- static string **PREFIX_HTTP** = "http://"
- static string **PREFIX_HTTPS** = "https://"

Properties

- static string **PREFIX_FILE** [get]

5.2.1 Detailed Description

Base for collected constants of very general utility for the asset.

5.2.2 Member Data Documentation

5.2.2.1 `const string Crosstales.Common.Util.BaseConstants.ASSET_3P_PLAYMAKER = "https://www.assetstore.unity3d.com/#!/content/368?aid=1011INGT"`

URL of the 3rd party asset "PlayMaker".

5.2.2.2 `const string Crosstales.Common.Util.BaseConstants.ASSET_AUTHOR = "crosstales LLC"`

Author of the asset.

5.2.2.3 `const string Crosstales.Common.Util.BaseConstants.ASSET_AUTHOR_URL = "https://www.crosstales.com"`

URL of the asset author.

5.2.2.4 `const string Crosstales.Common.Util.BaseConstants.ASSET_CT_URL = "https://goo.gl/qwtXyb"`

URL of the crosstales assets in UAS.

5.2.2.5 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_FACEBOOK = "https://www.facebook.com/crosstales/"`

URL of the crosstales Facebook-profile.

5.2.2.6 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_LINKEDIN = "https://www.linkedin.com/company/crosstales"`

URL of the crosstales LinkedIn-profile.

5.2.2.7 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_TWITTER = "https://twitter.com/crosstales"`

URL of the crosstales Twitter-profile.


```
5.2.2.8 const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_XING = "https://www.xing.com/companies/crosstales"
```

URL of the crosstales XING-profile.

```
5.2.2.9 const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_YOUTUBE = "https://www.youtube.com/c/Crosstales"
```

URL of the crosstales Youtube-profile.

```
5.2.2.10 bool Crosstales.Common.Util.BaseConstants.DEV_DEBUG = false [static]
```

Development debug logging for the asset.

```
5.2.2.11 const int Crosstales.Common.Util.BaseConstants.FACTOR_GB = FACTOR_MB * 1024
```

Factor for giga bytes.

```
5.2.2.12 const int Crosstales.Common.Util.BaseConstants.FACTOR_KB = 1024
```

Factor for kilo bytes.

```
5.2.2.13 const int Crosstales.Common.Util.BaseConstants.FACTOR_MB = FACTOR_KB * 1024
```

Factor for mega bytes.

```
5.2.2.14 const float Crosstales.Common.Util.BaseConstants.FLOAT_32768 = 32768f
```

Float value of 32768.

```
5.2.2.15 const string Crosstales.Common.Util.BaseConstants.FORMAT_NO_DECIMAL_PLACES = "0"
```

ToString for no decimal places.

```
5.2.2.16 const string Crosstales.Common.Util.BaseConstants.FORMAT_PERCENT = "0%"
```

ToString for percent.

```
5.2.2.17 const string Crosstales.Common.Util.BaseConstants.FORMAT_TWO_DECIMAL_PLACES = "0.00"
```

ToString for two decimal places.

5.2.2.18 `const string Crosstales.Common.Util.BaseConstants.PATH_DELIMITER_UNIX = "/"`

Path delimiter for Unix.

5.2.2.19 `const string Crosstales.Common.Util.BaseConstants.PATH_DELIMITER_WINDOWS = @"\"`

Path delimiter for Windows.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/BaseConstants.cs`

5.3 Crosstales.Common.EditorUtil.BaseGAApi Class Reference

Base GA-wrapper API.

Inheritance diagram for `Crosstales.Common.EditorUtil.BaseGAApi`:



Static Public Member Functions

- static void `Event` (string name, string version, string category, string action, string label="", int value=0)
Tracks an event from the asset.

5.3.1 Detailed Description

Base GA-wrapper API.

5.3.2 Member Function Documentation

5.3.2.1 `static void Crosstales.Common.EditorUtil.BaseGAApi.Event (string name, string version, string category, string action, string label = " ", int value = 0) [static]`

Tracks an event from the asset.

Parameters

<i>category</i>	Specifies the event category.
<i>action</i>	Specifies the event action.
<i>label</i>	Specifies the event label.
<i>value</i>	Specifies the event value.


The documentation for this class was generated from the following file:

- D:/slauberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Editor/Util/BaseGAApi.cs

5.4 Crosstales.Common.Util.BaseHelper Class Reference

Base for various helper functions.

Inheritance diagram for Crosstales.Common.Util.BaseHelper:



Static Public Member Functions

- static bool [RemoteCertificateValidationCallback](#) (System.Object sender, System.Security.Cryptography.X509Certificates.X509Certificate certificate, System.Security.Cryptography.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors)
HTTPS-certification callback.
- static string [ValidatePath](#) (string path, bool addEndDelimiter=true)
Validates a given path and add missing slash.
- static string [ValidateFile](#) (string path)
Validates a given file.
- static string [ValidURLFromFilePath](#) (string path)
Validates a given file.
- static string [CleanUrl](#) (string url, bool removeProtocol=true, bool removeWWW=true, bool removeSlash=true)
Cleans a given URL.

Parameters

url	URL to clean
removeProtocol	Remove the protocol, e.g. <code>http://</code> (default: true, optional).
removeWWW	Remove www (default: true, optional).
removeSlash	Remove slash at the end (default: true, optional)

Returns

Clean URL

- static string [ClearTags](#) (string text)
Cleans a given text from tags.
- static string [ClearSpaces](#) (string text)
Cleans a given text from multiple spaces.
- static string [ClearLineEndings](#) (string text)
Cleans a given text from line endings.
- static System.Collections.Generic.List< string > [SplitStringToLines](#) (string text, bool ignoreCommentedLines=true, int skipHeaderLines=0, int skipFooterLines=0)

- Split the given text to lines and return it as list.*
- static string [FormatBytesToHRF](#) (long bytes)
Format byte-value to Human-Readable-Form.
- static string [FormatSecondsToHourMinSec](#) (double seconds)
Format seconds to Human-Readable-Form.
- static Color [HSVToRGB](#) (float h, float s, float v, float a=1f)
Generate nice HSV colors. Based on <https://gist.github.com/rje/6206099>
- static bool [IsValidURL](#) (string url)
Checks if the URL is valid.

Properties

- static bool [isInternetAvailable](#) [get]
Checks if an Internet connection is available.
- static bool [isWindowsPlatform](#) [get]
Checks if the current platform is Windows.
- static bool [isMacOSPlatform](#) [get]
Checks if the current platform is OSX.
- static bool [isLinuxPlatform](#) [get]
Checks if the current platform is Linux.
- static bool [isStandalonePlatform](#) [get]
Checks if the current platform is standalone (Windows, macOS or Linux).
- static bool [isAndroidPlatform](#) [get]
Checks if the current platform is Android.
- static bool [isIOSPlatform](#) [get]
Checks if the current platform is iOS.
- static bool [isWSAPlatform](#) [get]
Checks if the current platform is WSA.
- static bool [isWebGLPlatform](#) [get]
Checks if the current platform is WebGL.
- static bool [isWebPlayerPlatform](#) [get]
Checks if the current platform is WebPlayer.
- static bool [isWebPlatform](#) [get]
Checks if the current platform is Web (WebPlayer or WebGL).
- static bool [isWindowsBasedPlatform](#) [get]
Checks if the current platform is Windows-based (Windows standalone or WSA).
- static bool [isAppleBasedPlatform](#) [get]
Checks if the current platform is Apple-based (macOS standalone or iOS).
- static bool [isEditor](#) [get]
Checks if we are inside the Editor.
- static bool [isEditorMode](#) [get]
Checks if we are in Editor mode.
- static [Model.Enum.Platform CurrentPlatform](#) [get]
Returns the current platform.

5.4.1 Detailed Description

Base for various helper functions.

5.4.2 Member Function Documentation

5.4.2.1 static string Crosstales.Common.Util.BaseHelper.ClearLineEndings (string *text*) [static]

Cleans a given text from line endings.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without line endings.

5.4.2.2 `static string Crosstales.Common.Util.BaseHelper.ClearSpaces (string text) [static]`

Cleans a given text from multiple spaces.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without multiple spaces.

5.4.2.3 `static string Crosstales.Common.Util.BaseHelper.ClearTags (string text) [static]`

Cleans a given text from tags.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without tags.

5.4.2.4 `static string Crosstales.Common.Util.BaseHelper.FormatBytesToHRF (long bytes) [static]`

Format byte-value to Human-Readable-Form.

Returns

Formatted byte-value in Human-Readable-Form.

5.4.2.5 `static string Crosstales.Common.Util.BaseHelper.FormatSecondsToHourMinSec (double seconds) [static]`

Format seconds to Human-Readable-Form.

Returns

Formatted seconds in Human-Readable-Form.

5.4.2.6 static Color Crosstales.Common.Util.BaseHelper.HSVToRGB (float *h*, float *s*, float *v*, float *a* = 1f) [static]

Generate nice HSV colors. Based on <https://gist.github.com/rje/6206099>

Parameters

<i>h</i>	Hue
<i>s</i>	Saturation
<i>v</i>	Value
<i>a</i>	Alpha (optional)

Returns

True if the current platform is supported.

5.4.2.7 static bool Crosstales.Common.Util.BaseHelper.IsValidURL (string *url*) [static]

Checks if the URL is valid.

Parameters

<i>url</i>	URL to check
------------	--------------

Returns

True if the URL is valid.

5.4.2.8 static bool Crosstales.Common.Util.BaseHelper.RemoteCertificateValidationCallback (System.Object *sender*, System.Security.Cryptography.X509Certificates.X509Certificate *certificate*, System.Security.Cryptology.X509Certificates.X509Chain *chain*, System.Net.Security.SslPolicyErrors *sslPolicyErrors*) [static]

HTTPS-certification callback.

5.4.2.9 static System.Collections.Generic.List<string> Crosstales.Common.Util.BaseHelper.SplitStringToLines (string *text*, bool *ignoreCommentedLines* = true, int *skipHeaderLines* = 0, int *skipFooterLines* = 0) [static]

Split the given text to lines and return it as list.

Parameters

<i>text</i>	Complete text fragment
<i>ignoreCommentedLines</i>	Ignore commente lines (default: true, optional)
<i>skipHeaderLines</i>	Number of skipped header lines (default: 0, optional)
<i>skipFooterLines</i>	Number of skipped footer lines (default: 0, optional)

Returns

Splitted lines as array

5.4.2.10 `static string Crosstales.Common.Util.BaseHelper.ValidateFile (string path) [static]`

Validates a given file.

Parameters

<i>path</i>	File to validate
-------------	------------------

Returns

Valid file path

5.4.2.11 `static string Crosstales.Common.Util.BaseHelper.ValidatePath (string path, bool addEndDelimiter = true) [static]`

Validates a given path and add missing slash.

Parameters

<i>path</i>	Path to validate
<i>addEndDelimiter</i>	Add delimiter at the end of the path (optional, default: true)

Returns

Valid path

5.4.2.12 `static string Crosstales.Common.Util.BaseHelper.ValidURLFromFilePath (string path) [static]`

Validates a given file.

Parameters

<i>path</i>	File to validate
-------------	------------------

Returns

Valid file path

5.4.3 Property Documentation**5.4.3.1** `Model.Enum.Platform Crosstales.Common.Util.BaseHelper.CurrentPlatform [static], [get]`

Returns the current platform.

Returns

The current platform.

5.4.3.2 bool Crosstales.Common.Util.BaseHelper.isAndroidPlatform [static],[get]

Checks if the current platform is Android.

Returns

True if the current platform is Android.

5.4.3.3 bool Crosstales.Common.Util.BaseHelper.isAppleBasedPlatform [static],[get]

Checks if the current platform is Apple-based (macOS standalone or iOS).

Returns

True if the current platform is Apple-based (macOS standalone or iOS).

5.4.3.4 bool Crosstales.Common.Util.BaseHelper.isEditor [static],[get]

Checks if we are inside the Editor.

Returns

True if we are inside the Editor.

5.4.3.5 bool Crosstales.Common.Util.BaseHelper.isEditorMode [static],[get]

Checks if we are in Editor mode.

Returns

True if in Editor mode.

5.4.3.6 bool Crosstales.Common.Util.BaseHelper.isInternetAvailable [static],[get]

Checks if an Internet connection is available.

Returns

True if an Internet connection is available.

5.4.3.7 `bool Crosstales.Common.Util.BaseHelper.isIOSPlatform` `[static], [get]`

Checks if the current platform is iOS.

Returns

True if the current platform is iOS.

5.4.3.8 `bool Crosstales.Common.Util.BaseHelper.isLinuxPlatform` `[static], [get]`

Checks if the current platform is Linux.

Returns

True if the current platform is Linux.

5.4.3.9 `bool Crosstales.Common.Util.BaseHelper.isMacOSPlatform` `[static], [get]`

Checks if the current platform is OSX.

Returns

True if the current platform is OSX.

5.4.3.10 `bool Crosstales.Common.Util.BaseHelper.isStandalonePlatform` `[static], [get]`

Checks if the current platform is standalone (Windows, macOS or Linux).

Returns

True if the current platform is standalone (Windows, macOS or Linux).

5.4.3.11 `bool Crosstales.Common.Util.BaseHelper.isWebGLPlatform` `[static], [get]`

Checks if the current platform is WebGL.

Returns

True if the current platform is WebGL.

5.4.3.12 `bool Crosstales.Common.Util.BaseHelper.isWebPlatform` `[static], [get]`

Checks if the current platform is Web (WebPlayer or WebGL).

Returns

True if the current platform is Web (WebPlayer or WebGL).

5.4.3.13 `bool Crosstales.Common.Util.BaseHelper.isWebPlayerPlatform` `[static], [get]`

Checks if the current platform is WebPlayer.

Returns

True if the current platform is WebPlayer.

5.4.3.14 `bool Crosstales.Common.Util.BaseHelper.isWindowsBasedPlatform` `[static], [get]`

Checks if the current platform is Windows-based (Windows standalone or WSA).

Returns

True if the current platform is Windows-based (Windows standalone or WSA).

5.4.3.15 `bool Crosstales.Common.Util.BaseHelper.isWindowsPlatform` `[static], [get]`

Checks if the current platform is Windows.

Returns

True if the current platform is Windows.

5.4.3.16 `bool Crosstales.Common.Util.BaseHelper.isWSAPlatform` `[static], [get]`

Checks if the current platform is WSA.

Returns

True if the current platform is WSA.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/BaseHelper.cs`

5.5 Crosstales.Common.EditorTask.BaseSetupResources Class Reference

Base for copying all resources to 'Editor Default Resources'.

Inheritance diagram for `Crosstales.Common.EditorTask.BaseSetupResources`:



Static Protected Member Functions

- static void **setupResources** (string source, string sourceFolder, string target, string targetFolder, string metafile)

5.5.1 Detailed Description

Base for copying all resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Editor/Task/BaseSetupResources.cs

5.6 Crosstales.TPS.EditorTask.CompileDefines Class Reference

Adds the given define symbols to PlayerSettings define symbols.

Inheritance diagram for Crosstales.TPS.EditorTask.CompileDefines:



Additional Inherited Members

5.6.1 Detailed Description

Adds the given define symbols to PlayerSettings define symbols.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/Common/Editor/Task/CompileDefines.cs

5.7 Crosstales.TPS.Util.Config Class Reference

Configuration for the asset.

Static Public Member Functions

- static void [Reset](#) ()
Resets all changable variables to their default value.
- static void [Load](#) ()
Loads the all changable variables.
- static void [Save](#) ()
Saves the all changable variables.

Static Public Attributes

- static bool [CUSTOM_PATH_CACHE](#) = Constants.DEFAULT_CUSTOM_PATH_CACHE
Enable or disable custom location for the cache.
- static int [VCS](#) = Constants.DEFAULT_VCS
Selected VCS-system (default: 0, 0 = none, 1 = git, 2 = SVN, 3 Mercurial).
- static bool [BATCHMODE](#) = Constants.DEFAULT_BATCHMODE
Enable or disable batch mode for CLI operations.
- static bool [QUIT](#) = Constants.DEFAULT_QUIT
Enable or disable quit Unity Editor for CLI operations.
- static bool [NO_GRAPHICS](#) = Constants.DEFAULT_NO_GRAPHICS
Enable or disable graphics device in Unity Editor for CLI operations.
- static string [EXECUTE_METHOD](#) = string.Empty
Execute static method <ClassName.MethodName> in Unity after a switch.
- static bool [COPY_SETTINGS](#) = Constants.DEFAULT_COPY_SETTINGS
Enable or disable copying the 'ProjectSettings'-folder.
- static bool [COPY_ASSETS](#) = Constants.DEFAULT_COPY_ASSETS
Enable or disable copying the 'Assets'-folder (meta files).
- static bool [CONFIRM_SWITCH](#) = Constants.DEFAULT_CONFIRM_SWITCH
Enable or disable the switch confirmation dialog.
- static bool [DEBUG](#) = Constants.DEFAULT_DEBUG
Enable or disable debug logging for the asset.
- static bool [UPDATE_CHECK](#) = Constants.DEFAULT_UPDATE_CHECK
Enable or disable update-checks for the asset.
- static bool [REMINDER_CHECK](#) = Constants.DEFAULT_REMINDER_CHECK
Enable or disable reminder-checks for the asset.
- static bool [TELEMETRY](#) = Constants.DEFAULT_TELEMETRY
Enable or disable anonymous telemetry data.
- static bool [PLATFORM_WINDOWS](#) = Constants.DEFAULT_PLATFORM_WINDOWS
Enable or disable the Windows platform.
- static bool [PLATFORM_MAC](#) = Constants.DEFAULT_PLATFORM_MAC
Enable or disable the macOS platform.
- static bool [PLATFORM_LINUX](#) = Constants.DEFAULT_PLATFORM_LINUX
Enable or disable the Linux platform.
- static bool [PLATFORM_ANDROID](#) = Constants.DEFAULT_PLATFORM_ANDROID
Enable or disable the Android platform.
- static bool [PLATFORM_IOS](#) = Constants.DEFAULT_PLATFORM_IOS
Enable or disable the iOS platform.
- static bool [PLATFORM_WSA](#) = Constants.DEFAULT_PLATFORM_WSA
Enable or disable the WSA platform.
- static bool [PLATFORM_WEBPLAYER](#) = Constants.DEFAULT_PLATFORM_WEBPLAYER

- Enable or disable the WebPlayer platform.*

 - static bool `PLATFORM_WEBGL` = Constants.DEFAULT_PLATFORM_WEBGL
- Enable or disable the WebGL platform.*

 - static bool `PLATFORM_TVOS` = Constants.DEFAULT_PLATFORM_TVOS
- Enable or disable the tvOS platform.*

 - static bool `PLATFORM_TIZEN` = Constants.DEFAULT_PLATFORM_TIZEN
- Enable or disable the Tizen platform.*

 - static bool `PLATFORM_SAMSUNGTV` = Constants.DEFAULT_PLATFORM_SAMSUNGTV
- Enable or disable the SamsungTV platform.*

 - static bool `PLATFORM_PS3` = Constants.DEFAULT_PLATFORM_PS3
- Enable or disable the PS3 platform.*

 - static bool `PLATFORM_PS4` = Constants.DEFAULT_PLATFORM_PS4
- Enable or disable the PS4 platform.*

 - static bool `PLATFORM_PSP2` = Constants.DEFAULT_PLATFORM_PSP2
- Enable or disable the PSP2 (Vita) platform.*

 - static bool `PLATFORM_XBOX360` = Constants.DEFAULT_PLATFORM_XBOX360
- Enable or disable the Xbox360 platform.*

 - static bool `PLATFORM_XBOXONE` = Constants.DEFAULT_PLATFORM_XBOXONE
- Enable or disable the XboxOne platform.*

 - static bool `PLATFORM_WIIU` = Constants.DEFAULT_PLATFORM_WIIU
- Enable or disable the WiiU platform.*

 - static bool `PLATFORM_3DS` = Constants.DEFAULT_PLATFORM_3DS
- Enable or disable the 3DS platform.*

 - static bool `PLATFORM_SWITCH` = Constants.DEFAULT_PLATFORM_SWITCH
- Enable or disable the Nintendo Switch platform.*

 - static int `ARCH_WINDOWS` = Constants.DEFAULT_ARCH_WINDOWS
- Architecture of the Windows platform.*

 - static int `ARCH_MAC` = Constants.DEFAULT_ARCH_MAC
- Architecture of the macOS platform.*

 - static int `ARCH_LINUX` = Constants.DEFAULT_ARCH_LINUX
- Architecture of the Linux platform.*

 - static int `TEX_ANDROID` = Constants.DEFAULT_TEX_ANDROID
- Texture format of the Android platform.*

 - static bool `SHOW_DELETE` = false
- Shows or hides the delete button for the cache.*

 - static bool `SHOW_COLUMN_PLATFORM` = Constants.DEFAULT_SHOW_COLUMN_PLATFORM
- Shows or hides the column for the platform.*

 - static bool `SHOW_COLUMN_PLATFORM_LOGO` = Constants.DEFAULT_SHOW_COLUMN_PLATFORM_LOGO
- Shows or hides the column for the platform.*

 - static bool `SHOW_COLUMN_ARCHITECTURE` = Constants.DEFAULT_SHOW_COLUMN_ARCHITECTURE
- Shows or hides the column for the architecture.*

 - static bool `SHOW_COLUMN_TEXTURE` = Constants.DEFAULT_SHOW_COLUMN_TEXTURE
- Shows or hides the column for the texture format.*

 - static bool `SHOW_COLUMN_CACHE` = Constants.DEFAULT_SHOW_COLUMN_CACHE
- Shows or hides the column for the cache.*

 - static bool `isLoading` = false
- Is the configuration loaded?*

Properties

- static string **PATH_CACHE** [get, set]
- static string **ASSET_PATH** [get]
Returns the path to the asset inside the Unity project.

5.7.1 Detailed Description

Configuration for the asset.

5.7.2 Member Function Documentation

5.7.2.1 static void Crosstales.TPS.Util.Config.Load () [static]

Loads the all changable variables.

5.7.2.2 static void Crosstales.TPS.Util.Config.Reset () [static]

Resets all changable variables to their default value.

5.7.2.3 static void Crosstales.TPS.Util.Config.Save () [static]

Saves the all changable variables.

5.7.3 Member Data Documentation

5.7.3.1 int Crosstales.TPS.Util.Config.ARCH_LINUX = Constants.DEFAULT_ARCH_LINUX [static]

Architecture of the Linux platform.

5.7.3.2 int Crosstales.TPS.Util.Config.ARCH_MAC = Constants.DEFAULT_ARCH_MAC [static]

Architecture of the macOS platform.

5.7.3.3 int Crosstales.TPS.Util.Config.ARCH_WINDOWS = Constants.DEFAULT_ARCH_WINDOWS [static]

Architecture of the Windows platform.

5.7.3.4 bool Crosstales.TPS.Util.Config.BATCHMODE = Constants.DEFAULT_BATCHMODE [static]

Enable or disable batch mode for CLI operations.

5.7.3.5 `bool Crosstales.TPS.Util.Config.CONFIRM_SWITCH = Constants.DEFAULT_CONFIRM_SWITCH` `[static]`

Enable or disable the switch confirmation dialog.

5.7.3.6 `bool Crosstales.TPS.Util.Config.COPY_ASSETS = Constants.DEFAULT_COPY_ASSETS` `[static]`

Enable or disable copying the 'Assets'-folder (meta files).

5.7.3.7 `bool Crosstales.TPS.Util.Config.COPY_SETTINGS = Constants.DEFAULT_COPY_SETTINGS` `[static]`

Enable or disable copying the 'ProjectSettings'-folder.

5.7.3.8 `bool Crosstales.TPS.Util.Config.CUSTOM_PATH_CACHE = Constants.DEFAULT_CUSTOM_PATH_CACHE`
`[static]`

Enable or disable custom location for the cache.

5.7.3.9 `bool Crosstales.TPS.Util.Config.DEBUG = Constants.DEFAULT_DEBUG` `[static]`

Enable or disable debug logging for the asset.

5.7.3.10 `string Crosstales.TPS.Util.Config.EXECUTE_METHOD = string.Empty` `[static]`

Execute static method <ClassName.MethodName> in Unity after a switch.

5.7.3.11 `bool Crosstales.TPS.Util.Config.isLoaded = false` `[static]`

Is the configuration loaded?

5.7.3.12 `bool Crosstales.TPS.Util.Config.NO_GRAPHICS = Constants.DEFAULT_NO_GRAPHICS` `[static]`

Enable or disable graphics device in Unity Editor for CLI operations.

5.7.3.13 `bool Crosstales.TPS.Util.Config.PLATFORM_3DS = Constants.DEFAULT_PLATFORM_3DS` `[static]`

Enable or disable the 3DS platform.

5.7.3.14 `bool Crosstales.TPS.Util.Config.PLATFORM_ANDROID = Constants.DEFAULT_PLATFORM_ANDROID` `[static]`

Enable or disable the Android platform.

5.7.3.15 `bool Crosstales.TPS.Util.Config.PLATFORM_IOS = Constants.DEFAULT_PLATFORM_IOS` `[static]`

Enable or disable the iOS platform.

5.7.3.16 `bool Crosstales.TPS.Util.Config.PLATFORM_LINUX = Constants.DEFAULT_PLATFORM_LINUX` `[static]`

Enable or disable the Linux platform.

5.7.3.17 `bool Crosstales.TPS.Util.Config.PLATFORM_MAC = Constants.DEFAULT_PLATFORM_MAC` `[static]`

Enable or disable the macOS platform.

5.7.3.18 `bool Crosstales.TPS.Util.Config.PLATFORM_PS3 = Constants.DEFAULT_PLATFORM_PS3` `[static]`

Enable or disable the PS3 platform.

5.7.3.19 `bool Crosstales.TPS.Util.Config.PLATFORM_PS4 = Constants.DEFAULT_PLATFORM_PS4` `[static]`

Enable or disable the PS4 platform.

5.7.3.20 `bool Crosstales.TPS.Util.Config.PLATFORM_PSP2 = Constants.DEFAULT_PLATFORM_PSP2` `[static]`

Enable or disable the PSP2 (Vita) platform.

5.7.3.21 `bool Crosstales.TPS.Util.Config.PLATFORM_SAMSUNGTV = Constants.DEFAULT_PLATFORM_SAMSUNGTV`
`[static]`

Enable or disable the SamsungTV platform.

5.7.3.22 `bool Crosstales.TPS.Util.Config.PLATFORM_SWITCH = Constants.DEFAULT_PLATFORM_SWITCH` `[static]`

Enable or disable the Nintendo Switch platform.

5.7.3.23 `bool Crosstales.TPS.Util.Config.PLATFORM_TIZEN = Constants.DEFAULT_PLATFORM_TIZEN` `[static]`

Enable or disable the Tizen platform.

5.7.3.24 `bool Crosstales.TPS.Util.Config.PLATFORM_TVOS = Constants.DEFAULT_PLATFORM_TVOS` `[static]`

Enable or disable the tvOS platform.

5.7.3.25 `bool Crosstales.TPS.Util.Config.PLATFORM_WEBGL = Constants.DEFAULT_PLATFORM_WEBGL [static]`

Enable or disable the WebGL platform.

5.7.3.26 `bool Crosstales.TPS.Util.Config.PLATFORM_WEBPLAYER = Constants.DEFAULT_PLATFORM_WEBPLAYER [static]`

Enable or disable the WebPlayer platform.

5.7.3.27 `bool Crosstales.TPS.Util.Config.PLATFORM_WIIU = Constants.DEFAULT_PLATFORM_WIIU [static]`

Enable or disable the WiiU platform.

5.7.3.28 `bool Crosstales.TPS.Util.Config.PLATFORM_WINDOWS = Constants.DEFAULT_PLATFORM_WINDOWS [static]`

Enable or disable the Windows platform.

5.7.3.29 `bool Crosstales.TPS.Util.Config.PLATFORM_WSA = Constants.DEFAULT_PLATFORM_WSA [static]`

Enable or disable the WSA platform.

5.7.3.30 `bool Crosstales.TPS.Util.Config.PLATFORM_XBOX360 = Constants.DEFAULT_PLATFORM_XBOX360 [static]`

Enable or disable the Xbox360 platform.

5.7.3.31 `bool Crosstales.TPS.Util.Config.PLATFORM_XBOXONE = Constants.DEFAULT_PLATFORM_XBOXONE [static]`

Enable or disable the XboxOne platform.

5.7.3.32 `bool Crosstales.TPS.Util.Config.QUIT = Constants.DEFAULT_QUIT [static]`

Enable or disable quit Unity Editor for CLI operations.

5.7.3.33 `bool Crosstales.TPS.Util.Config.REMINDER_CHECK = Constants.DEFAULT_REMINDER_CHECK [static]`

Enable or disable reminder-checks for the asset.

5.7.3.34 `bool Crosstales.TPS.Util.Config.SHOW_COLUMN_ARCHITECTURE = Constants.DEFAULT_SHOW_COLUMN_ARCHITECTURE [static]`

Shows or hides the column for the architecture.

5.7.3.35 `bool Crosstales.TPS.Util.Config.SHOW_COLUMN_CACHE = Constants.DEFAULT_SHOW_COLUMN_CACHE`
[static]

Shows or hides the column for the cache.

5.7.3.36 `bool Crosstales.TPS.Util.Config.SHOW_COLUMN_PLATFORM = Constants.DEFAULT_SHOW_COLUMN_PLATFORM`
[static]

Shows or hides the column for the platform.

5.7.3.37 `bool Crosstales.TPS.Util.Config.SHOW_COLUMN_PLATFORM_LOGO = Constants.DEFAULT_SHOW_COLUMN_PLATFORM_LOGO`
[static]

Shows or hides the column for the platform.

5.7.3.38 `bool Crosstales.TPS.Util.Config.SHOW_COLUMN_TEXTURE = Constants.DEFAULT_SHOW_COLUMN_TEXTURE`
[static]

Shows or hides the column for the texture format.

5.7.3.39 `bool Crosstales.TPS.Util.Config.SHOW_DELETE = false` [static]

Shows or hides the delete button for the cache.

5.7.3.40 `bool Crosstales.TPS.Util.Config.TELEMETRY = Constants.DEFAULT_TELEMETRY` [static]

Enable or disable anonymous telemetry data.

5.7.3.41 `int Crosstales.TPS.Util.Config.TEX_ANDROID = Constants.DEFAULT_TEX_ANDROID` [static]

Texture format of the Android platform.

5.7.3.42 `bool Crosstales.TPS.Util.Config.UPDATE_CHECK = Constants.DEFAULT_UPDATE_CHECK` [static]

Enable or disable update-checks for the asset.

5.7.3.43 `int Crosstales.TPS.Util.Config.VCS = Constants.DEFAULT_VCS` [static]

Selected VCS-system (default: 0, 0 = none, 1 = git, 2 = SVN, 3 Mercurial).

5.7.4 Property Documentation

5.7.4.1 string Crosstales.TPS.Util.Config.ASSET_PATH [static],[get]

Returns the path to the asset inside the Unity project.

Returns

The path to the asset inside the Unity project.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/Editor/Util/Config.cs

5.8 Crosstales.TPS.EditorIntegration.ConfigBase Class Reference

Base class for editor windows.

Inheritance diagram for Crosstales.TPS.EditorIntegration.ConfigBase:



Protected Member Functions

- void **showSwitch** ()
- void **showConfiguration** ()
- void **showHelp** ()
- void **showAbout** ()

Static Protected Member Functions

- static void **save** ()

5.8.1 Detailed Description

Base class for editor windows.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/Editor/Integration/ConfigBase.cs

5.9 Crosstales.TPS.EditorIntegration.ConfigPreferences Class Reference

Unity "Preferences" extension.

Inheritance diagram for Crosstales.TPS.EditorIntegration.ConfigPreferences:



Additional Inherited Members

5.9.1 Detailed Description

Unity "Preferences" extension.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/↔ Editor/Integration/ConfigPreferences.cs

5.10 Crosstales.TPS.EditorIntegration.ConfigWindow Class Reference

Editor window extension.

Inheritance diagram for Crosstales.TPS.EditorIntegration.ConfigWindow:



Public Member Functions

- void **OnEnable** ()
- void **OnDestroy** ()
- void **OnLostFocus** ()
- void **OnGUI** ()
- void **OnInspectorUpdate** ()

Static Public Member Functions

- static void **ShowWindow** ()
- static void **ShowWindow** (int tab)

Additional Inherited Members

5.10.1 Detailed Description

Editor window extension.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/↔ Editor/Integration/ConfigWindow.cs

5.11 Crosstales.TPS.Util.Constants Class Reference

Collected constants of very general utility for the asset.

Inheritance diagram for Crosstales.TPS.Util.Constants:



Public Attributes

- const string **ASSET_NAME** = "TPS PRO"
Name of the asset.
- const string **ASSET_VERSION** = "1.8.2"
Version of the asset.
- const int **ASSET_BUILD** = 182
Build number of the asset.
- const string **ASSET_PRO_URL** = "https://www.assetstore.unity3d.com/#!/content/60040?aid=1011ING↔ T&pubref=" + ASSET_NAME
URL of the PRO asset in UAS.
- const string **ASSET_UPDATE_CHECK_URL** = "https://www.crosstales.com/media/assets/tps_versions.txt"
URL for update-checks of the asset
- const string **ASSET_CONTACT** = "tps@crosstales.com"
Contact to the owner of the asset.
- const string **ASSET_MANUAL_URL** = "https://www.crosstales.com/media/data/assets/tps/TPS-doc.pdf"
URL of the asset manual.
- const string **ASSET_API_URL** = "https://goo.gl/NDTja0"
URL of the asset API.
- const string **ASSET_FORUM_URL** = "https://goo.gl/d7SjL2"

URL of the asset forum.

- const string **ASSET_WEB_URL** = "https://www.crosstales.com/en/portfolio/tps/"

URL of the asset in crosstales.

- const string **ASSET_VIDEO_PROMO** = "https://youtu.be/rb1cqypznEg?list=PLgtonlOr6Tb41XTMeeZ836tjHIKgOO84S"

URL of the promotion video of the asset (Youtube).

- const string **ASSET_VIDEO_TUTORIAL** = "https://youtu.be/J2zh0EjmrjQ?list=PLgtonlOr6Tb41XTMeeZ836tjHIKgOO84S"

URL of the tutorial video of the asset (Youtube).

- const string **KEY_CUSTOM_PATH_CACHE** = KEY_PREFIX + "CUSTOM_PATH_CACHE"
- const string **KEY_PATH_CACHE** = KEY_PREFIX + "PATH_CACHE"
- const string **KEY_VCS** = KEY_PREFIX + "VCS"
- const string **KEY_BATCHMODE** = KEY_PREFIX + "BATCHMODE"
- const string **KEY_QUIT** = KEY_PREFIX + "QUIT"
- const string **KEY_NO_GRAPHICS** = KEY_PREFIX + "NO_GRAPHICS"
- const string **KEY_EXECUTE_METHOD** = KEY_PREFIX + "EXECUTE_METHOD"
- const string **KEY_COPY_SETTINGS** = KEY_PREFIX + "COPY_SETTINGS"
- const string **KEY_COPY_ASSETS** = KEY_PREFIX + "COPY_ASSETS"
- const string **KEY_CONFIRM_SWITCH** = KEY_PREFIX + "CONFIRM_SWITCH"
- const string **KEY_DEBUG** = KEY_PREFIX + "DEBUG"
- const string **KEY_UPDATE_CHECK** = KEY_PREFIX + "UPDATE_CHECK"
- const string **KEY_UPDATE_OPEN_UAS** = KEY_PREFIX + "UPDATE_OPEN_UAS"
- const string **KEY_REMINDER_CHECK** = KEY_PREFIX + "REMINDER_CHECK"
- const string **KEY_TELEMETRY** = KEY_PREFIX + "TELEMETRY"
- const string **KEY_PLATFORM_WINDOWS** = KEY_PREFIX + "PLATFORM_WINDOWS"
- const string **KEY_PLATFORM_MAC** = KEY_PREFIX + "PLATFORM_MAC"
- const string **KEY_PLATFORM_LINUX** = KEY_PREFIX + "PLATFORM_LINUX"
- const string **KEY_PLATFORM_ANDROID** = KEY_PREFIX + "PLATFORM_ANDROID"
- const string **KEY_PLATFORM_IOS** = KEY_PREFIX + "PLATFORM_IOS"
- const string **KEY_PLATFORM_WSA** = KEY_PREFIX + "PLATFORM_WSA"
- const string **KEY_PLATFORM_WEBPLAYER** = KEY_PREFIX + "PLATFORM_WEBPLAYER"
- const string **KEY_PLATFORM_WEBGL** = KEY_PREFIX + "PLATFORM_WEBGL"
- const string **KEY_PLATFORM_TVOS** = KEY_PREFIX + "PLATFORM_TVOS"
- const string **KEY_PLATFORM_TIZEN** = KEY_PREFIX + "PLATFORM_TIZEN"
- const string **KEY_PLATFORM_SAMUNGTV** = KEY_PREFIX + "PLATFORM_SAMUNGTV"
- const string **KEY_PLATFORM_PS3** = KEY_PREFIX + "PLATFORM_PS3"
- const string **KEY_PLATFORM_PS4** = KEY_PREFIX + "PLATFORM_PS4"
- const string **KEY_PLATFORM_PSP2** = KEY_PREFIX + "PLATFORM_PSP2"
- const string **KEY_PLATFORM_XBOX360** = KEY_PREFIX + "PLATFORM_XBOX360"
- const string **KEY_PLATFORM_XBOXONE** = KEY_PREFIX + "PLATFORM_XBOXONE"
- const string **KEY_PLATFORM_WIIU** = KEY_PREFIX + "PLATFORM_WIIU"
- const string **KEY_PLATFORM_3DS** = KEY_PREFIX + "PLATFORM_3DS"
- const string **KEY_PLATFORM_SWITCH** = KEY_PREFIX + "PLATFORM_SWITCH"
- const string **KEY_ARCH_WINDOWS** = KEY_PREFIX + "ARCH_WINDOWS"
- const string **KEY_ARCH_MAC** = KEY_PREFIX + "ARCH_MAC"
- const string **KEY_ARCH_LINUX** = KEY_PREFIX + "ARCH_LINUX"
- const string **KEY_TEX_ANDROID** = KEY_PREFIX + "TEX_ANDROID"
- const string **KEY_SHOW_COLUMN_PLATFORM** = KEY_PREFIX + "SHOW_COLUMN_PLATFORM"
- const string **KEY_SHOW_COLUMN_ARCHITECTURE** = KEY_PREFIX + "SHOW_COLUMN_ARCHITECTURE"
- const string **KEY_SHOW_COLUMN_TEXTURE** = KEY_PREFIX + "SHOW_COLUMN_TEXTURE"
- const string **KEY_SHOW_COLUMN_CACHE** = KEY_PREFIX + "SHOW_COLUMN_CACHE"
- const string **KEY_UPDATE_DATE** = KEY_PREFIX + "UPDATE_DATE"
- const string **KEY_REMINDER_DATE** = KEY_PREFIX + "REMINDER_DATE"

- const string **KEY_REMINDER_COUNT** = KEY_PREFIX + "REMINDER_COUNT"
- const string **KEY_LAUNCH** = KEY_PREFIX + "LAUNCH"
- const string **KEY_TELEMETRY_DATE** = KEY_PREFIX + "TELEMETRY_DATE"
- const string **CACHE_DIRNAME** = "TPS_cache"
- const string **DEFAULT_ASSET_PATH** = "/Plugins/crosstales/TPS/"
- const bool **DEFAULT_CUSTOM_PATH_CACHE** = false
- const int **DEFAULT_VCS** = 1
- const bool **DEFAULT_BATCHMODE** = false
- const bool **DEFAULT_QUIT** = true
- const bool **DEFAULT_NO_GRAPHICS** = false
- const bool **DEFAULT_COPY_SETTINGS** = false
- const bool **DEFAULT_COPY_ASSETS** = false
- const bool **DEFAULT_CONFIRM_SWITCH** = true
- const bool **DEFAULT_UPDATE_CHECK** = true
- const bool **DEFAULT_REMINDER_CHECK** = true
- const bool **DEFAULT_TELEMETRY** = true
- const bool **DEFAULT_PLATFORM_WINDOWS** = true
- const bool **DEFAULT_PLATFORM_MAC** = true
- const bool **DEFAULT_PLATFORM_LINUX** = true
- const bool **DEFAULT_PLATFORM_ANDROID** = true
- const bool **DEFAULT_PLATFORM_IOS** = true
- const bool **DEFAULT_PLATFORM_WSA** = true
- const bool **DEFAULT_PLATFORM_WEBPLAYER** = false
- const bool **DEFAULT_PLATFORM_WEBGL** = true
- const bool **DEFAULT_PLATFORM_TVOS** = false
- const bool **DEFAULT_PLATFORM_TIZEN** = false
- const bool **DEFAULT_PLATFORM_SAMSUNGTV** = false
- const bool **DEFAULT_PLATFORM_PS3** = false
- const bool **DEFAULT_PLATFORM_PS4** = false
- const bool **DEFAULT_PLATFORM_PSP2** = false
- const bool **DEFAULT_PLATFORM_XBOX360** = false
- const bool **DEFAULT_PLATFORM_XBOXONE** = false
- const bool **DEFAULT_PLATFORM_WIIU** = false
- const bool **DEFAULT_PLATFORM_3DS** = false
- const bool **DEFAULT_PLATFORM_SWITCH** = false
- const int **DEFAULT_ARCH_WINDOWS** = 0
- const int **DEFAULT_ARCH_MAC** = 0
- const int **DEFAULT_ARCH_LINUX** = 0
- const int **DEFAULT_TEX_ANDROID** = 0
- const bool **DEFAULT_SHOW_COLUMN_PLATFORM** = true
- const bool **DEFAULT_SHOW_COLUMN_PLATFORM_LOGO** = false
- const bool **DEFAULT_SHOW_COLUMN_ARCHITECTURE** = true
- const bool **DEFAULT_SHOW_COLUMN_TEXTURE** = false
- const bool **DEFAULT_SHOW_COLUMN_CACHE** = true

Static Public Attributes

- static readonly bool **isPro** = true
Is PRO-version?
- static readonly System.DateTime **ASSET_CREATED** = new System.DateTime(2016, 9, 22)
Create date of the asset (YYYY, MM, DD).
- static readonly System.DateTime **ASSET_CHANGED** = new System.DateTime(2018, 3, 26)
Change date of the asset (YYYY, MM, DD).

- static readonly string **PATH** = [Helper.ValidatePath](#)(Application.dataPath.Substring(0, Application.dataPath.LastIndexOf('/') + 1))
Application path.
- static readonly string **DEFAULT_PATH_CACHE** = [Helper.ValidatePath](#)(**PATH** + CACHE_DIRNAME)
- static int **KILL_TIME** = 5000
Kill processes after 5000 milliseconds.

Properties

- static string **ASSET_URL** [get]
Returns the URL of the asset in UAS.
- static System.Guid **ASSET_UID** [get]
Returns the UID of the asset.

5.11.1 Detailed Description

Collected constants of very general utility for the asset.

5.11.2 Member Data Documentation

5.11.2.1 `const string Crosstales.TPS.Util.Constants.ASSET_API_URL = "https://goo.gl/NDTja0"`

URL of the asset API.

5.11.2.2 `const int Crosstales.TPS.Util.Constants.ASSET_BUILD = 182`

Build number of the asset.

5.11.2.3 `readonly System.DateTime Crosstales.TPS.Util.Constants.ASSET_CHANGED = new System.DateTime(2018, 3, 26)`
[static]

Change date of the asset (YYYY, MM, DD).

5.11.2.4 `const string Crosstales.TPS.Util.Constants.ASSET_CONTACT = "tps@crosstales.com"`

Contact to the owner of the asset.

5.11.2.5 `readonly System.DateTime Crosstales.TPS.Util.Constants.ASSET_CREATED = new System.DateTime(2016, 9, 22)`
[static]

Create date of the asset (YYYY, MM, DD).

5.11.2.6 `const string Crosstales.TPS.Util.Constants.ASSET_FORUM_URL = "https://goo.gl/d7SjL2"`

URL of the asset forum.

5.11.2.7 `const string Crosstales.TPS.Util.Constants.ASSET_MANUAL_URL = "https://www.crosstales.com/media/data/assets/tps/TPS-doc.pdf"`

URL of the asset manual.

5.11.2.8 `const string Crosstales.TPS.Util.Constants.ASSET_NAME = "TPS PRO"`

Name of the asset.

5.11.2.9 `const string Crosstales.TPS.Util.Constants.ASSET_PRO_URL = "https://www.assetstore.unity3d.com/#!/content/60040?aid=1011INGT&pubref=" + ASSET_NAME`

URL of the PRO asset in UAS.

5.11.2.10 `const string Crosstales.TPS.Util.Constants.ASSET_UPDATE_CHECK_URL = "https://www.crosstales.com/media/assets/tps_versions.txt"`

URL for update-checks of the asset

5.11.2.11 `const string Crosstales.TPS.Util.Constants.ASSET_VERSION = "1.8.2"`

Version of the asset.

5.11.2.12 `const string Crosstales.TPS.Util.Constants.ASSET_VIDEO_PROMO = "https://youtu.be/rb1cqypznEg?list=PLgtonlOr6Tb41XTMeeZ836tjHIKg0084S"`

URL of the promotion video of the asset (Youtube).

5.11.2.13 `const string Crosstales.TPS.Util.Constants.ASSET_VIDEO_TUTORIAL = "https://youtu.be/J2zh0EjmrjQ?list=PLgtonlOr6Tb41XTMeeZ836tjHIKg0084S"`

URL of the tutorial video of the asset (Youtube).

5.11.2.14 `const string Crosstales.TPS.Util.Constants.ASSET_WEB_URL = "https://www.crosstales.com/en/portfolio/tps"`

URL of the asset in crosstales.

5.11.2.15 readonly bool `Crosstales.TPS.Util.Constants.isPro = true` `[static]`

Is PRO-version?

5.11.2.16 int `Crosstales.TPS.Util.Constants.KILL_TIME = 5000` `[static]`

Kill processes after 5000 milliseconds.

5.11.2.17 readonly string `Crosstales.TPS.Util.Constants.PATH = Helper.ValidatePath(Application.dataPath.Substring(0, Application.dataPath.LastIndexOf('/') + 1))` `[static]`

Application path.

5.11.3 Property Documentation

5.11.3.1 System.Guid `Crosstales.TPS.Util.Constants.ASSET_UID` `[static], [get]`

Returns the UID of the asset.

Returns

The UID of the asset.

5.11.3.2 string `Crosstales.TPS.Util.Constants.ASSET_URL` `[static], [get]`

Returns the URL of the asset in UAS.

Returns

The URL of the asset in UAS.

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/↔ Editor/Util/Constants.cs`

5.12 Crosstales.Common.Util.CTPlayerPrefs Class Reference

Wrapper for the PlayerPrefs.

Static Public Member Functions

- static bool [HasKey](#) (string key)
Exists the key?
- static void [DeleteAll](#) ()
Deletes all keys.
- static void [DeleteKey](#) (string key)
Delete the key.
- static void [Save](#) ()
Saves all modifications.
- static string [GetString](#) (string key)
Allows to get a string from a key.
- static float [GetFloat](#) (string key)
Allows to get a float from a key.
- static int [GetInt](#) (string key)
Allows to get an int from a key.
- static bool [GetBool](#) (string key)
Allows to get a bool from a key.
- static void [SetString](#) (string key, string value)
Allows to set a string for a key.
- static void [SetFloat](#) (string key, float value)
Allows to set a float for a key.
- static void [SetInt](#) (string key, int value)
Allows to set an int for a key.
- static void [SetBool](#) (string key, bool value)
Allows to set a bool for a key.

5.12.1 Detailed Description

Wrapper for the PlayerPrefs.

5.12.2 Member Function Documentation

5.12.2.1 static void Crosstales.Common.Util.CTPlayerPrefs.DeleteAll () [static]

Deletes all keys.

5.12.2.2 static void Crosstales.Common.Util.CTPlayerPrefs.DeleteKey (string key) [static]

Delete the key.

Parameters

<i>key</i>	Key to delete in the PlayerPrefs.
------------	-----------------------------------

5.12.2.3 static bool Crosstales.Common.Util.CTPlayerPrefs.GetBool (string key) [static]

Allows to get a bool from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.12.2.4 static float Crosstales.Common.Util.CTPlayerPrefs.GetFloat (string key) [static]

Allows to get a float from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.12.2.5 static int Crosstales.Common.Util.CTPlayerPrefs.GetInt (string key) [static]

Allows to get an int from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.12.2.6 static string Crosstales.Common.Util.CTPlayerPrefs.GetString (string key) [static]

Allows to get a string from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.12.2.7 `static bool Crosstales.Common.Util.CTPlayerPrefs.HasKey (string key) [static]`

Exists the key?

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.12.2.8 `static void Crosstales.Common.Util.CTPlayerPrefs.Save () [static]`

Saves all modifications.

5.12.2.9 `static void Crosstales.Common.Util.CTPlayerPrefs.SetBool (string key, bool value) [static]`

Allows to set a bool for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.12.2.10 `static void Crosstales.Common.Util.CTPlayerPrefs.SetFloat (string key, float value) [static]`

Allows to set a float for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.12.2.11 `static void Crosstales.Common.Util.CTPlayerPrefs.SetInt (string key, int value) [static]`

Allows to set an int for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.12.2.12 `static void Crosstales.Common.Util.CTPlayerPrefs.SetString (string key, string value) [static]`

Allows to set a string for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/CTPlayerPrefs.cs

5.13 Crosstales.Common.Util.CTWebClient Class Reference

Specialized WebClient.

Inheritance diagram for Crosstales.Common.Util.CTWebClient:



Public Member Functions

- **CTWebClient** (int timeout, int connectionLimit=20)
- System.Net.WebRequest **CTGetWebRequest** (string uri)

Protected Member Functions

- override System.Net.WebRequest **GetWebRequest** (System.Uri uri)

Properties

- int **Timeout** [get, set]
Timeout in milliseconds
- int **ConnectionLimit** [get, set]
Connection limit for all WebClients

5.13.1 Detailed Description

Specialized WebClient.

5.13.2 Property Documentation

5.13.2.1 `int Crosstales.Common.Util.CTWebClient.ConnectionLimit` [get], [set]

Connection limit for all WebClients

5.13.2.2 `int Crosstales.Common.Util.CTWebClient.Timeout` [get], [set]

Timeout in milliseconds

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/CTWebClient.cs`

5.14 Crosstales.TPS.Task.DisableUnityCacheServer Class Reference

Disables the Unity cache server.

5.14.1 Detailed Description

Disables the Unity cache server.

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPSEditor/Task/DisableUnityCacheServer.cs`

5.15 Crosstales.ExtensionMethods Class Reference

Various extension methods.

Static Public Member Functions

- static string [CTToTitleCase](#) (this string str)
Extension method for strings. Converts a string to title case (first letter uppercase).
- static string [CTReplace](#) (this string str, string oldString, string newString, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Replace'.
- static bool [CTEquals](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Equals'.
- static bool [CTContains](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Contains'.
- static bool [CTContainsAny](#) (this string str, string searchTerms, char splitChar= ' ')
Extension method for strings. Contains any given string.
- static bool [CTContainsAll](#) (this string str, string searchTerms, char splitChar= ' ')
Extension method for strings. Contains all given strings.
- static void [CTShuffle< T >](#) (this T[] array)
Extension method for Arrays. Shuffles an Array.
- static string [CTDump< T >](#) (this T[] array)
Extension method for Arrays. Dumps an array to a string.
- static string[] [CTToString< T >](#) (this T[] array)
Extension method for Arrays. Generates a string array with all entries (via ToString).
- static void [CTShuffle< T >](#) (this System.Collections.Generic.IList< T > list)
Extension method for Lists. Shuffles a List.
- static string [CTDump< T >](#) (this System.Collections.Generic.List< T > list)
Extension method for Lists. Dumps a list to a string.
- static System.Collections.Generic.List< string > [CTToString< T >](#) (this System.Collections.Generic.List< T > list)
Extension method for Lists. Generates a string list with all entries (via ToString).
- static void [CTAddRange< T, S >](#) (this System.Collections.Generic.Dictionary< T, S > source, System.Collections.Generic.Dictionary< T, S > collection)
Extension method for dictionaries. Adds a dictionary to an existing one.

5.15.1 Detailed Description

Various extension methods.

5.15.2 Member Function Documentation

- 5.15.2.1 static void [Crosstales.ExtensionMethods.CTAddRange< T, S >](#) (this System.Collections.Generic.Dictionary< T, S > source, System.Collections.Generic.Dictionary< T, S > collection) [static]

Extension method for dictionaries. Adds a dictionary to an existing one.

Parameters

<i>source</i>	Dictionary-instance.
<i>collection</i>	Dictionary to add.

5.15.2.2 `static bool Crosstales.ExtensionMethods.CTContains (this string str, string toCheck, System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase) [static]`

Extension method for strings. Case insensitive 'Contains'.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string contains the given string.

5.15.2.3 `static bool Crosstales.ExtensionMethods.CTContainsAll (this string str, string searchTerms, char splitChar = ' ') [static]`

Extension method for strings. Contains all given strings.

Parameters

<i>str</i>	String-instance.
<i>searchTerms</i>	Search terms separated by the given split-character.
<i>splitChar</i>	Split-character (default: ' ', optional)

Returns

True if the string contains all parts of the given string.

5.15.2.4 `static bool Crosstales.ExtensionMethods.CTContainsAny (this string str, string searchTerms, char splitChar = ' ') [static]`

Extension method for strings. Contains any given string.

Parameters

<i>str</i>	String-instance.
<i>searchTerms</i>	Search terms separated by the given split-character.
<i>splitChar</i>	Split-character (default: ' ', optional)

Returns

True if the string contains any parts of the given string.

5.15.2.5 `static string Crosstales.ExtensionMethods.CTDump< T > (this T[] array) [static]`

Extension method for Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Array-instance to dump.
--------------	-------------------------

Returns

String with lines for all array entries.

5.15.2.6 `static string Crosstales.ExtensionMethods.CTDump< T > (this System.Collections.Generic.List< T > list) [static]`

Extension method for Lists. Dumps a list to a string.

Parameters

<i>list</i>	List-instance to dump.
-------------	------------------------

Returns

String with lines for all list entries.

5.15.2.7 `static bool Crosstales.ExtensionMethods.CTEquals (this string str, string toCheck, System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase) [static]`

Extension method for strings. Case insensitive 'Equals'.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string contains the given string.

5.15.2.8 `static string Crosstales.ExtensionMethods.CTReplace (this string str, string oldString, string newString, System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase) [static]`

Extension method for strings. Case insensitive 'Replace'.

Parameters

<i>str</i>	String-instance.
<i>oldString</i>	String to replace.
<i>newString</i>	New replacement string.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

Replaced string.

5.15.2.9 `static void Crosstales.ExtensionMethods.CTShuffle< T > (this T[] array) [static]`

Extension method for Arrays. Shuffles an Array.

Parameters

<i>array</i>	Array-instance to shuffle.
--------------	----------------------------

5.15.2.10 `static void Crosstales.ExtensionMethods.CTShuffle< T > (this System.Collections.Generic.IList< T > list) [static]`

Extension method for Lists. Shuffles a List.

Parameters

<i>list</i>	List-instance to shuffle.
-------------	---------------------------

5.15.2.11 `static string [] Crosstales.ExtensionMethods.CTToString< T > (this T[] array) [static]`

Extension method for Arrays. Generates a string array with all entries (via ToString).

Parameters

<i>array</i>	Array-instance to ToString.
--------------	-----------------------------

Returns

String array with all entries (via ToString).

5.15.2.12 `static System.Collections.Generic.List<string> Crosstales.ExtensionMethods.CTToString< T > (this System.Collections.Generic.List< T > list) [static]`

Extension method for Lists. Generates a string list with all entries (via ToString).

Parameters

<i>list</i>	List-instance to ToString.
-------------	----------------------------

Returns

String list with all entries (via ToString).

5.15.2.13 static string Crosstales.ExtensionMethods.CTToTitleCase (this string *str*) [static]

Extension method for strings. Converts a string to title case (first letter uppercase).

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

Converted string in title case.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Scripts/ExtensionMethods.cs

5.16 Crosstales.TPS.Util.GAApi Class Reference

GA-wrapper API.

Inheritance diagram for Crosstales.TPS.Util.GAApi:

**Static Public Member Functions**

- static void [Event](#) (string category, string action, string label="", int value=0)
Tracks an event from the asset.

5.16.1 Detailed Description

GA-wrapper API.

5.16.2 Member Function Documentation

5.16.2.1 `static void Crosstales.TPS.Util.GAApi.Event (string category, string action, string label = " ", int value = 0)`
[`static`]

Tracks an event from the asset.

Parameters

<i>category</i>	Specifies the event category.
<i>action</i>	Specifies the event action.
<i>label</i>	Specifies the event label.
<i>value</i>	Specifies the event value.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/Editor/Util/GAApi.cs

5.17 Crosstales.TPS.Util.Helper Class Reference

Various helper functions.

Inheritance diagram for Crosstales.TPS.Util.Helper:



Static Public Member Functions

- static void [SwitchPlatform](#) (BuildTarget target, string build, AndroidBuildSubtarget subTarget)
Switches the current platform to the target.
- static string [ScanCache](#) (BuildTarget target, AndroidBuildSubtarget subTarget)
Scans the cache usage per platform.
- static string [ScanTotalCache](#) ()
Scans the total cache usage of TPS.
- static bool [isCached](#) (BuildTarget target, AndroidBuildSubtarget subTarget)
Checks if a platform is already cached.
- static void [DeleteCacheFromTarget](#) (BuildTarget target, AndroidBuildSubtarget subTarget)
Deletes a cache for a target platform.
- static void [DeleteCache](#) ()
Delete the cache for all platforms.
- static void [DeleteAllScripts](#) ()
Delete all shell-scripts after a platform switch.
- static void [SeparatorUI](#) (int space=12)
Shows a separator-UI.
- static void [setAndroidTexture](#) ()

Properties

- static Texture2D **Logo_Asset** [get]
- static Texture2D **Logo_Asset_Small** [get]
- static Texture2D **Logo_CT** [get]
- static Texture2D **Logo_Unity** [get]
- static Texture2D **Icon_Reset** [get]
- static Texture2D **Icon_Refresh** [get]
- static Texture2D **Icon_Delete** [get]
- static Texture2D **Icon_Delete_Big** [get]
- static Texture2D **Icon_Folder** [get]
- static Texture2D **Icon_Manual** [get]
- static Texture2D **Icon_API** [get]
- static Texture2D **Icon_Forum** [get]
- static Texture2D **Icon_Product** [get]
- static Texture2D **Icon_Check** [get]
- static Texture2D **Social_Facebook** [get]
- static Texture2D **Social_Twitter** [get]
- static Texture2D **Social_Youtube** [get]
- static Texture2D **Social_Linkedin** [get]
- static Texture2D **Social_Xing** [get]
- static Texture2D **Video_Promo** [get]
- static Texture2D **Video_Tutorial** [get]
- static Texture2D **Icon_Videos** [get]
- static Texture2D **Logo_Windows** [get]
- static Texture2D **Logo_Mac** [get]
- static Texture2D **Logo_Linux** [get]
- static Texture2D **Logo_Ios** [get]
- static Texture2D **Logo_Android** [get]
- static Texture2D **Logo_Wsa** [get]
- static Texture2D **Logo_Webplayer** [get]
- static Texture2D **Logo_Webgl** [get]
- static Texture2D **Logo_Tvos** [get]
- static Texture2D **Logo_Tizen** [get]
- static Texture2D **Logo_Samsungtv** [get]
- static Texture2D **Logo_Ps3** [get]
- static Texture2D **Logo_Ps4** [get]
- static Texture2D **Logo_Psp** [get]
- static Texture2D **Logo_Xbox360** [get]
- static Texture2D **Logo_Xboxone** [get]
- static Texture2D **Logo_Wiiu** [get]
- static Texture2D **Logo_3ds** [get]
- static Texture2D **Logo_Switch** [get]
- static Texture2D **Icon_Cachefull** [get]
- static Texture2D **Icon_Cacheempty** [get]
- static bool **hasActiveArchitecturePlatforms** [get]
Checks if the user has selected any architecture platforms.
- static bool **hasActiveTexturePlatforms** [get]
Checks if the user has selected any texture platforms.

5.17.1 Detailed Description

Various helper functions.

5.17.2 Member Function Documentation

5.17.2.1 static void Crosstales.TPS.Util.Helper.DeleteAllScripts () [static]

Delete all shell-scripts after a platform switch.

5.17.2.2 static void Crosstales.TPS.Util.Helper.DeleteCache () [static]

Delete the cache for all platforms.

5.17.2.3 static void Crosstales.TPS.Util.Helper.DeleteCacheFromTarget (BuildTarget *target*, AndroidBuildSubtarget *subTarget*) [static]

Deletes a cache for a target platform.

Parameters

<i>target</i>	Platform to delete the cache
<i>subTarget</i>	Texture format (Android)

5.17.2.4 static bool Crosstales.TPS.Util.Helper.isCached (BuildTarget *target*, AndroidBuildSubtarget *subTarget*) [static]

Checks if a platform is already cached.

Parameters

<i>target</i>	Platform to check
<i>subTarget</i>	Texture format (Android)

Returns

True if the platform is already cached

5.17.2.5 static string Crosstales.TPS.Util.Helper.ScanCache (BuildTarget *target*, AndroidBuildSubtarget *subTarget*) [static]

Scans the cache usage per platform.

Parameters

<i>target</i>	Target platform for the scan
<i>subTarget</i>	Texture format (Android)

Returns

Cache usage information.

5.17.2.6 `static string Crosstales.TPS.Util.Helper.ScanTotalCache () [static]`

Scans the total cache usage of [TPS](#).

Returns

Total cache usage information.

5.17.2.7 `static void Crosstales.TPS.Util.Helper.SeparatorUI (int space = 12) [static]`

Shows a separator-UI.

Parameters

<i>space</i>	Space in pixels between the component and the separator line (default: 12, optional).
--------------	---

5.17.2.8 `static void Crosstales.TPS.Util.Helper.SwitchPlatform (BuildTarget target, string build, AndroidBuildSubtarget subTarget) [static]`

Switches the current platform to the target.

Parameters

<i>target</i>	Target platform for the switch
<i>build</i>	Build type name for Unity, like 'win64'
<i>subTarget</i>	Texture format (Android)

5.17.3 Property Documentation

5.17.3.1 `bool Crosstales.TPS.Util.Helper.hasActiveArchitecturePlatforms [static],[get]`

Checks if the user has selected any architecture platforms.

Returns

True if the user has selected any architecture platforms.

5.17.3.2 bool Crosstales.TPS.Util.Helper.hasActiveTexturePlatforms [static], [get]

Checks if the user has selected any texture platforms.

Returns

True if the user has selected any texture platforms.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/Editor/Util/Helper.cs

5.18 Crosstales.TPS.Task.Launch Class Reference

Show the configuration window on the first launch.

5.18.1 Detailed Description

Show the configuration window on the first launch.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/Editor/Task/Launch.cs

5.19 Crosstales.Common.EditorTask.NYCheck Class Reference

Checks if a 'Happy new year'-message must be displayed.

5.19.1 Detailed Description

Checks if a 'Happy new year'-message must be displayed.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/Common/Editor/Task/NYCheck.cs

5.20 Crosstales.TPS.Task.ReminderCheck Class Reference

Reminds the customer to create an UAS review.

5.20.1 Detailed Description

Reminds the customer to create an UAS review.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstailes/TPS/Editor/Task/ReminderCheck.cs

5.21 Crosstailes.TPS.Task.SetupResources Class Reference

Copies all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstailes.TPS.Task.SetupResources:



Additional Inherited Members

5.21.1 Detailed Description

Copies all resources to 'Editor Default Resources'.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstailes/TPS/Editor/Task/SetupResources.cs

5.22 Crosstailes.TPS.Task.Telemetry Class Reference

Gather some telemetry data for the asset.

5.22.1 Detailed Description

Gather some telemetry data for the asset.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstailes/TPS/Editor/Task/Telemetry.cs

5.23 Crosstales.TPS.Task.UpdateCheck Class Reference

Checks for updates of the asset.

Static Public Member Functions

- static void **UpdateCheckForEditor** (out string result, out [UpdateStatus](#) st)

Public Attributes

- const string **TEXT_NOT_CHECKED** = "Not checked."
- const string **TEXT_NO_UPDATE** = "No update available - you are using the latest version."

5.23.1 Detailed Description

Checks for updates of the asset.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/TurboSwitch/3rd party/TurboSwitch_3rd_party/Assets/Plugins/crosstales/TPS/↔ Editor/Task/UpdateCheck.cs

Chapter 6

More information

6.1 Homepage

<https://www.crosstales.com/en/portfolio/tps/>

6.2 AssetStore

<https://goo.gl/qwtXyb>

6.3 Forum

<https://goo.gl/d7SjL2>

6.4 Documentation

<https://www.crosstales.com/media/data/assets/tps/TPS-doc.pdf>

6.5 Videos

<https://www.youtube.com/c/Crosstales>

6.5.1 Promotion

<https://youtu.be/rb1cqypznEg?list=PLgtonIOr6Tb41XTMeeZ836tjH1Kg0084S>

6.5.2 Tutorial

<https://youtu.be/J2zh0EjmrjQ?list=PLgtonIOr6Tb41XTMeeZ836tjH1Kg0084S>

Index

- ARCH_LINUX
 - Crosstales::TPS::Util::Config, 28
- ARCH_MAC
 - Crosstales::TPS::Util::Config, 28
- ARCH_WINDOWS
 - Crosstales::TPS::Util::Config, 28
- ASSET_3P_PLAYMAKER
 - Crosstales::Common::Util::BaseConstants, 13
- ASSET_API_URL
 - Crosstales::TPS::Util::Constants, 38
- ASSET_AUTHOR_URL
 - Crosstales::Common::Util::BaseConstants, 13
- ASSET_AUTHOR
 - Crosstales::Common::Util::BaseConstants, 13
- ASSET_BUILD
 - Crosstales::TPS::Util::Constants, 38
- ASSET_CHANGED
 - Crosstales::TPS::Util::Constants, 38
- ASSET_CONTACT
 - Crosstales::TPS::Util::Constants, 38
- ASSET_CREATED
 - Crosstales::TPS::Util::Constants, 38
- ASSET_CT_URL
 - Crosstales::Common::Util::BaseConstants, 13
- ASSET_FORUM_URL
 - Crosstales::TPS::Util::Constants, 38
- ASSET_MANUAL_URL
 - Crosstales::TPS::Util::Constants, 39
- ASSET_NAME
 - Crosstales::TPS::Util::Constants, 39
- ASSET_PATH
 - Crosstales::TPS::Util::Config, 33
- ASSET_PRO_URL
 - Crosstales::TPS::Util::Constants, 39
- ASSET_SOCIAL_FACEBOOK
 - Crosstales::Common::Util::BaseConstants, 13
- ASSET_SOCIAL_LINKEDIN
 - Crosstales::Common::Util::BaseConstants, 13
- ASSET_SOCIAL_TWITTER
 - Crosstales::Common::Util::BaseConstants, 13
- ASSET_SOCIAL_XING
 - Crosstales::Common::Util::BaseConstants, 13
- ASSET_SOCIAL_YOUTUBE
 - Crosstales::Common::Util::BaseConstants, 14
- ASSET_UID
 - Crosstales::TPS::Util::Constants, 40
- ASSET_UPDATE_CHECK_URL
 - Crosstales::TPS::Util::Constants, 39
- ASSET_URL
 - Crosstales::TPS::Util::Constants, 40
- ASSET_VERSION
 - Crosstales::TPS::Util::Constants, 39
- ASSET_VIDEO_PROMO
 - Crosstales::TPS::Util::Constants, 39
- ASSET_VIDEO_TUTORIAL
 - Crosstales::TPS::Util::Constants, 39
- ASSET_WEB_URL
 - Crosstales::TPS::Util::Constants, 39
- BATCHMODE
 - Crosstales::TPS::Util::Config, 28
- CONFIRM_SWITCH
 - Crosstales::TPS::Util::Config, 28
- COPY_ASSETS
 - Crosstales::TPS::Util::Config, 29
- COPY_SETTINGS
 - Crosstales::TPS::Util::Config, 29
- CTAddRange< T, S >
 - Crosstales::ExtensionMethods, 46
- CTContains
 - Crosstales::ExtensionMethods, 47
- CTContainsAll
 - Crosstales::ExtensionMethods, 47
- CTContainsAny
 - Crosstales::ExtensionMethods, 47
- CTDump< T >
 - Crosstales::ExtensionMethods, 47, 48
- CTEquals
 - Crosstales::ExtensionMethods, 48
- CTReplace
 - Crosstales::ExtensionMethods, 48
- CTShuffle< T >
 - Crosstales::ExtensionMethods, 49
- CTToString< T >
 - Crosstales::ExtensionMethods, 49
- CTToTitleCase
 - Crosstales::ExtensionMethods, 50
- CUSTOM_PATH_CACHE
 - Crosstales::TPS::Util::Config, 29
- ClearLineEndings
 - Crosstales::Common::Util::BaseHelper, 18
- ClearSpaces
 - Crosstales::Common::Util::BaseHelper, 19
- ClearTags
 - Crosstales::Common::Util::BaseHelper, 19
- ConnectionLimit
 - Crosstales::Common::Util::CTWebClient, 45
- Crosstales, 7

- Crosstales.Common, 7
- Crosstales.Common.EditorTask, 7
- Crosstales.Common.EditorTask.BaseCompileDefines, 11
- Crosstales.Common.EditorTask.BaseSetupResources, 24
- Crosstales.Common.EditorTask.NYCheck, 56
- Crosstales.Common.EditorUtil, 7
- Crosstales.Common.EditorUtil.BaseGAApi, 15
- Crosstales.Common.Model, 8
- Crosstales.Common.Model.Enum, 8
- Crosstales.Common.Util, 8
- Crosstales.Common.Util.BaseConstants, 11
- Crosstales.Common.Util.BaseHelper, 16
- Crosstales.Common.Util.CTPlayerPrefs, 40
- Crosstales.Common.Util.CTWebClient, 44
- Crosstales.ExtensionMethods, 45
- Crosstales.TPS.EditorIntegration, 8
- Crosstales.TPS.EditorIntegration.ConfigBase, 33
- Crosstales.TPS.EditorIntegration.ConfigPreferences, 34
- Crosstales.TPS.EditorIntegration.ConfigWindow, 34
- Crosstales.TPS.EditorTask, 9
- Crosstales.TPS.EditorTask.CompileDefines, 25
- Crosstales.TPS.Task, 9
- Crosstales.TPS.Task.DisableUnityCacheServer, 45
- Crosstales.TPS.Task.Launch, 56
- Crosstales.TPS.Task.ReminderCheck, 56
- Crosstales.TPS.Task.SetupResources, 57
- Crosstales.TPS.Task.Telemetry, 57
- Crosstales.TPS.Task.UpdateCheck, 58
- Crosstales.TPS.Util, 9
- Crosstales.TPS.Util.Config, 25
- Crosstales.TPS.Util.Constants, 35
- Crosstales.TPS.Util.GAApi, 50
- Crosstales.TPS.Util.Helper, 52
- Crosstales.TPS, 8
- Crosstales::Common::EditorUtil::BaseGAApi
 - Event, 15
- Crosstales::Common::Model::Enum
 - Platform, 8
- Crosstales::Common::Util::BaseConstants
 - ASSET_3P_PLAYMAKER, 13
 - ASSET_AUTHOR_URL, 13
 - ASSET_AUTHOR, 13
 - ASSET_CT_URL, 13
 - ASSET_SOCIAL_FACEBOOK, 13
 - ASSET_SOCIAL_LINKEDIN, 13
 - ASSET_SOCIAL_TWITTER, 13
 - ASSET_SOCIAL_XING, 13
 - ASSET_SOCIAL_YOUTUBE, 14
 - DEV_DEBUG, 14
 - FACTOR_GB, 14
 - FACTOR_KB, 14
 - FACTOR_MB, 14
 - FLOAT_32768, 14
 - FORMAT_NO_DECIMAL_PLACES, 14
 - FORMAT_PERCENT, 14
 - FORMAT_TWO_DECIMAL_PLACES, 14
 - PATH_DELIMITER_UNIX, 14
 - PATH_DELIMITER_WINDOWS, 15
- Crosstales::Common::Util::BaseHelper
 - ClearLineEndings, 18
 - ClearSpaces, 19
 - ClearTags, 19
 - CurrentPlatform, 21
 - FormatBytesToHRF, 19
 - FormatSecondsToHourMinSec, 19
 - HSVToRGB, 19
 - isAndroidPlatform, 22
 - isAppleBasedPlatform, 22
 - isEditor, 22
 - isEditorMode, 22
 - isIOSPlatform, 22
 - isInternetAvailable, 22
 - isLinuxPlatform, 23
 - isMacOSPlatform, 23
 - isStandalonePlatform, 23
 - isValidURL, 20
 - isWSAPlatform, 24
 - isWebGLPlatform, 23
 - isWebPlatform, 23
 - isWebPlayerPlatform, 23
 - isWindowsBasedPlatform, 24
 - isWindowsPlatform, 24
 - RemoteCertificateValidationCallback, 20
 - SplitStringToLines, 20
 - ValidURLFromFilePath, 21
 - ValidateFile, 21
 - ValidatePath, 21
- Crosstales::Common::Util::CTPlayerPrefs
 - DeleteAll, 41
 - DeleteKey, 41
 - GetBool, 41
 - GetFloat, 42
 - GetInt, 42
 - GetString, 42
 - HasKey, 43
 - Save, 43
 - SetBool, 43
 - SetFloat, 43
 - SetInt, 43
 - SetString, 44
- Crosstales::Common::Util::CTWebClient
 - ConnectionLimit, 45
 - Timeout, 45
- Crosstales::ExtensionMethods
 - CTAddRange< T, S >, 46
 - CTContains, 47
 - CTContainsAll, 47
 - CTContainsAny, 47
 - CTDump< T >, 47, 48
 - CTEquals, 48
 - CTReplace, 48
 - CTShuffle< T >, 49
 - CTToString< T >, 49
 - CTToTitleCase, 50

- Crosstales::TPS::Task
 - UpdateStatus, [9](#)
- Crosstales::TPS::Util::Config
 - ARCH_LINUX, [28](#)
 - ARCH_MAC, [28](#)
 - ARCH_WINDOWS, [28](#)
 - ASSET_PATH, [33](#)
 - BATCHMODE, [28](#)
 - CONFIRM_SWITCH, [28](#)
 - COPY_ASSETS, [29](#)
 - COPY_SETTINGS, [29](#)
 - CUSTOM_PATH_CACHE, [29](#)
 - DEBUG, [29](#)
 - EXECUTE_METHOD, [29](#)
 - isLoading, [29](#)
 - Load, [28](#)
 - NO_GRAPHICS, [29](#)
 - PLATFORM_3DS, [29](#)
 - PLATFORM_ANDROID, [29](#)
 - PLATFORM_IOS, [29](#)
 - PLATFORM_LINUX, [30](#)
 - PLATFORM_MAC, [30](#)
 - PLATFORM_PS3, [30](#)
 - PLATFORM_PS4, [30](#)
 - PLATFORM_PSP2, [30](#)
 - PLATFORM_SAMSUNGTV, [30](#)
 - PLATFORM_SWITCH, [30](#)
 - PLATFORM_TIZEN, [30](#)
 - PLATFORM_TVOS, [30](#)
 - PLATFORM_WEBGL, [30](#)
 - PLATFORM_WEBPLAYER, [31](#)
 - PLATFORM_WIIU, [31](#)
 - PLATFORM_WINDOWS, [31](#)
 - PLATFORM_WSA, [31](#)
 - PLATFORM_XBOX360, [31](#)
 - PLATFORM_XBOXONE, [31](#)
 - QUIT, [31](#)
 - REMINDER_CHECK, [31](#)
 - Reset, [28](#)
 - SHOW_COLUMN_ARCHITECTURE, [31](#)
 - SHOW_COLUMN_CACHE, [31](#)
 - SHOW_COLUMN_PLATFORM_LOGO, [32](#)
 - SHOW_COLUMN_PLATFORM, [32](#)
 - SHOW_COLUMN_TEXTURE, [32](#)
 - SHOW_DELETE, [32](#)
 - Save, [28](#)
 - TELEMETRY, [32](#)
 - TEX_ANDROID, [32](#)
 - UPDATE_CHECK, [32](#)
 - VCS, [32](#)
- Crosstales::TPS::Util::Constants
 - ASSET_API_URL, [38](#)
 - ASSET_BUILD, [38](#)
 - ASSET_CHANGED, [38](#)
 - ASSET_CONTACT, [38](#)
 - ASSET_CREATED, [38](#)
 - ASSET_FORUM_URL, [38](#)
 - ASSET_MANUAL_URL, [39](#)
 - ASSET_NAME, [39](#)
 - ASSET_PRO_URL, [39](#)
 - ASSET_UID, [40](#)
 - ASSET_UPDATE_CHECK_URL, [39](#)
 - ASSET_URL, [40](#)
 - ASSET_VERSION, [39](#)
 - ASSET_VIDEO_PROMO, [39](#)
 - ASSET_VIDEO_TUTORIAL, [39](#)
 - ASSET_WEB_URL, [39](#)
 - isPro, [39](#)
 - KILL_TIME, [40](#)
 - PATH, [40](#)
- Crosstales::TPS::Util::GAApi
 - Event, [51](#)
- Crosstales::TPS::Util::Helper
 - DeleteAllScripts, [54](#)
 - DeleteCache, [54](#)
 - DeleteCacheFromTarget, [54](#)
 - hasActiveArchitecturePlatforms, [55](#)
 - hasActiveTexturePlatforms, [55](#)
 - isCached, [54](#)
 - ScanCache, [54](#)
 - ScanTotalCache, [55](#)
 - SeparatorUI, [55](#)
 - SwitchPlatform, [55](#)
- CurrentPlatform
 - Crosstales::Common::Util::BaseHelper, [21](#)
- DEBUG
 - Crosstales::TPS::Util::Config, [29](#)
- DEV_DEBUG
 - Crosstales::Common::Util::BaseConstants, [14](#)
- DeleteAll
 - Crosstales::Common::Util::CTPlayerPrefs, [41](#)
- DeleteAllScripts
 - Crosstales::TPS::Util::Helper, [54](#)
- DeleteCache
 - Crosstales::TPS::Util::Helper, [54](#)
- DeleteCacheFromTarget
 - Crosstales::TPS::Util::Helper, [54](#)
- DeleteKey
 - Crosstales::Common::Util::CTPlayerPrefs, [41](#)
- EXECUTE_METHOD
 - Crosstales::TPS::Util::Config, [29](#)
- Event
 - Crosstales::Common::EditorUtil::BaseGAApi, [15](#)
 - Crosstales::TPS::Util::GAApi, [51](#)
- FACTOR_GB
 - Crosstales::Common::Util::BaseConstants, [14](#)
- FACTOR_KB
 - Crosstales::Common::Util::BaseConstants, [14](#)
- FACTOR_MB
 - Crosstales::Common::Util::BaseConstants, [14](#)
- FLOAT_32768
 - Crosstales::Common::Util::BaseConstants, [14](#)
- FORMAT_NO_DECIMAL_PLACES
 - Crosstales::Common::Util::BaseConstants, [14](#)

- FORMAT_PERCENT
 - Crosstales::Common::Util::BaseConstants, [14](#)
- FORMAT_TWO_DECIMAL_PLACES
 - Crosstales::Common::Util::BaseConstants, [14](#)
- FormatBytesToHRF
 - Crosstales::Common::Util::BaseHelper, [19](#)
- FormatSecondsToHourMinSec
 - Crosstales::Common::Util::BaseHelper, [19](#)
- GetBool
 - Crosstales::Common::Util::CTPlayerPrefs, [41](#)
- GetFloat
 - Crosstales::Common::Util::CTPlayerPrefs, [42](#)
- GetInt
 - Crosstales::Common::Util::CTPlayerPrefs, [42](#)
- GetString
 - Crosstales::Common::Util::CTPlayerPrefs, [42](#)
- HSVToRGB
 - Crosstales::Common::Util::BaseHelper, [19](#)
- hasActiveArchitecturePlatforms
 - Crosstales::TPS::Util::Helper, [55](#)
- hasActiveTexturePlatforms
 - Crosstales::TPS::Util::Helper, [55](#)
- HasKey
 - Crosstales::Common::Util::CTPlayerPrefs, [43](#)
- isAndroidPlatform
 - Crosstales::Common::Util::BaseHelper, [22](#)
- isAppleBasedPlatform
 - Crosstales::Common::Util::BaseHelper, [22](#)
- isCached
 - Crosstales::TPS::Util::Helper, [54](#)
- isEditor
 - Crosstales::Common::Util::BaseHelper, [22](#)
- isEditorMode
 - Crosstales::Common::Util::BaseHelper, [22](#)
- isIOSPlatform
 - Crosstales::Common::Util::BaseHelper, [22](#)
- isInternetAvailable
 - Crosstales::Common::Util::BaseHelper, [22](#)
- isLinuxPlatform
 - Crosstales::Common::Util::BaseHelper, [23](#)
- isLoaded
 - Crosstales::TPS::Util::Config, [29](#)
- isMacOSPlatform
 - Crosstales::Common::Util::BaseHelper, [23](#)
- isPro
 - Crosstales::TPS::Util::Constants, [39](#)
- isStandalonePlatform
 - Crosstales::Common::Util::BaseHelper, [23](#)
- isValidURL
 - Crosstales::Common::Util::BaseHelper, [20](#)
- isWSAPlatform
 - Crosstales::Common::Util::BaseHelper, [24](#)
- isWebGLPlatform
 - Crosstales::Common::Util::BaseHelper, [23](#)
- isWebPlatform
 - Crosstales::Common::Util::BaseHelper, [23](#)
- isWebPlayerPlatform
 - Crosstales::Common::Util::BaseHelper, [23](#)
- isWindowsBasedPlatform
 - Crosstales::Common::Util::BaseHelper, [24](#)
- isWindowsPlatform
 - Crosstales::Common::Util::BaseHelper, [24](#)
- KILL_TIME
 - Crosstales::TPS::Util::Constants, [40](#)
- Load
 - Crosstales::TPS::Util::Config, [28](#)
- NO_GRAPHICS
 - Crosstales::TPS::Util::Config, [29](#)
- PATH_DELIMITER_UNIX
 - Crosstales::Common::Util::BaseConstants, [14](#)
- PATH_DELIMITER_WINDOWS
 - Crosstales::Common::Util::BaseConstants, [15](#)
- PATH
 - Crosstales::TPS::Util::Constants, [40](#)
- PLATFORM_3DS
 - Crosstales::TPS::Util::Config, [29](#)
- PLATFORM_ANDROID
 - Crosstales::TPS::Util::Config, [29](#)
- PLATFORM_IOS
 - Crosstales::TPS::Util::Config, [29](#)
- PLATFORM_LINUX
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_MAC
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_PS3
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_PS4
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_PSP2
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_SAMSUNGTV
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_SWITCH
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_TIZEN
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_TVOS
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_WEBGL
 - Crosstales::TPS::Util::Config, [30](#)
- PLATFORM_WEBPLAYER
 - Crosstales::TPS::Util::Config, [31](#)
- PLATFORM_WIIU
 - Crosstales::TPS::Util::Config, [31](#)
- PLATFORM_WINDOWS
 - Crosstales::TPS::Util::Config, [31](#)
- PLATFORM_WSA
 - Crosstales::TPS::Util::Config, [31](#)
- PLATFORM_XBOX360
 - Crosstales::TPS::Util::Config, [31](#)
- PLATFORM_XBOXONE

- Crosstales::TPS::Util::Config, 31
- Platform
 - Crosstales::Common::Model::Enum, 8
- QUIT
 - Crosstales::TPS::Util::Config, 31
- REMINDER_CHECK
 - Crosstales::TPS::Util::Config, 31
- RemoteCertificateValidationCallback
 - Crosstales::Common::Util::BaseHelper, 20
- Reset
 - Crosstales::TPS::Util::Config, 28
- SHOW_COLUMN_ARCHITECTURE
 - Crosstales::TPS::Util::Config, 31
- SHOW_COLUMN_CACHE
 - Crosstales::TPS::Util::Config, 31
- SHOW_COLUMN_PLATFORM_LOGO
 - Crosstales::TPS::Util::Config, 32
- SHOW_COLUMN_PLATFORM
 - Crosstales::TPS::Util::Config, 32
- SHOW_COLUMN_TEXTURE
 - Crosstales::TPS::Util::Config, 32
- SHOW_DELETE
 - Crosstales::TPS::Util::Config, 32
- Save
 - Crosstales::Common::Util::CTPlayerPrefs, 43
 - Crosstales::TPS::Util::Config, 28
- ScanCache
 - Crosstales::TPS::Util::Helper, 54
- ScanTotalCache
 - Crosstales::TPS::Util::Helper, 55
- SeparatorUI
 - Crosstales::TPS::Util::Helper, 55
- SetBool
 - Crosstales::Common::Util::CTPlayerPrefs, 43
- SetFloat
 - Crosstales::Common::Util::CTPlayerPrefs, 43
- SetInt
 - Crosstales::Common::Util::CTPlayerPrefs, 43
- SetString
 - Crosstales::Common::Util::CTPlayerPrefs, 44
- SplitStringToLines
 - Crosstales::Common::Util::BaseHelper, 20
- SwitchPlatform
 - Crosstales::TPS::Util::Helper, 55
- TELEMETRY
 - Crosstales::TPS::Util::Config, 32
- TEX_ANDROID
 - Crosstales::TPS::Util::Config, 32
- Timeout
 - Crosstales::Common::Util::CTWebClient, 45
- UPDATE_CHECK
 - Crosstales::TPS::Util::Config, 32
- UpdateStatus
 - Crosstales::TPS::Task, 9
- VCS
 - Crosstales::TPS::Util::Config, 32
- ValidURLFromFilePath
 - Crosstales::Common::Util::BaseHelper, 21
- ValidateFile
 - Crosstales::Common::Util::BaseHelper, 21
- ValidatePath
 - Crosstales::Common::Util::BaseHelper, 21